

EWWE **BUILDING** PLASTICS

PRODUCT GUIDE

V2. 2025

Home Of Brands You Can Trust

Contents

	Roofline & Window Trims	3 - 20
	External Cladding	21 - 36
	Gutters & Drainage	37 - 56
	Roofing Products	57 - 76
	Internal Products	77 - 97
	Outdoor Living	98 - 102
	Windows	103 - 122
	Doors	123 - 136
	Ancillaries	137 - 150

For the latest updates and exclusive promotions, follow us on:



Scan for our latest offers





Roofline

16mm Replacement Fascia	4
9mm Cover Board	6
Hockey Nose Cill Board	7
Fascia Trims	8
Finials	9
Soffit Boards	10
Soffit Trims	12
Roofline Ventilation	13
Decorative Roofline	14

Window Trims

Edging Trims	16
Architraves & Skirting	17
Angles	19
Laminated Window Boards	20

Please note that colours shown in this product guide are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.

16mm Replacement Fascia

Square Edge




									
White - W RAL 9016	White Foil - K RAL 9010	Cream - D RAL 9001	Irish Oak - Q (No RAL Match)	Light Oak - C RAL 8003 *	Mahogany - M RAL 8016 *	Rosewood - R RAL 8016 *	Agate Grey - AG RAL 7038	Anthracite Grey - X RAL 7016	Black - Z RAL 8022

150mm x 16mm x 5m	CSF150W	CSF150K	CSF150D	CSF150Q	CSF150C	CSF150M	CSF150R	CSF150AG	CSF150X	CSF150Z
175mm x 16mm x 5m	CSF175W	CSF175K	CSF175D	CSF175Q	CSF175C	CSF175M	CSF175R	CSF175AG	CSF175X	CSF175Z
200mm x 16mm x 5m	CSF200W	-	CSF200D	CSF200Q	CSF200C	CSF200M	CSF200R	CSF200AG	CSF200X	CSF200Z
225mm x 16mm x 5m	CSF225W	CSF225K	CSF225D	CSF225Q	CSF225C	CSF225M	CSF225R	CSF225AG	CSF225X	CSF225Z
250mm x 16mm x 5m	CSF250W	-	-	CSF250Q	CSF250C	CSF250M	CSF250R	CSF250AG	CSF250X	CSF250Z
300mm x 16mm x 5m	CSF300W	-	-	-	-	-	-	-	CSF300X	CSF300Z
355mm x 16mm x 5m D/E	CSF355W	-	-	-	-	-	-	-	-	-
405mm x 16mm x 5m D/E	CSF405W	CSF405K	CSF405D	CSF405Q	CSF405C	CSF405M	CSF405R	CSF405AG	CSF405X	CSF405Z
455mm x 16mm x 5m D/E	CSF455W	-	-	-	-	-	-	-	-	-

Smooth Shades of Grey (co-extruded)



		
Light Grey - E Nearest RAL 7040	Smooth Anthracite Grey - G RAL 7016	Anthracite Black - A RAL 9011

150mm x 16mm x 5m	CSF150E	CSF150G	CSF150A
175mm x 16mm x 5m	CSF175E	CSF175G	CSF175A
200mm x 16mm x 5m	CSF200E	CSF200G	CSF200A
225mm x 16mm x 5m	CSF225E	CSF225G	CSF225A
250mm x 16mm x 5m	CSF250E	CSF250G	CSF250A
355mm x 16mm x 5m D/E	CSF355E	CSF355G	CSF355A
405mm x 16mm x 5m D/E	CSF405E	CSF405G	CSF405A

Can't see the colour you want?
Ask in branch about our range of special order 16mm Fascia.

Note:

* Closest RAL colour.
Images are not an accurate representation of colour.
We recommend requesting a sample for a true likeness.

Ogee Edge



White - W
RAL 9016

150mm x 16mm x 5m Ogee Fascia	COF150W
175mm x 16mm x 5m Ogee Fascia	COF175W
200mm x 16mm x 5m Ogee Fascia	COF200W
225mm x 16mm x 5m Ogee Fascia	COF225W
250mm x 16mm x 5m Ogee Fascia	COF250W
355mm x 16mm x 5m Ogee Fascia D/E	COF355W
405mm x 16mm x 5m Ogee Fascia D/E	COF405W

Special Order Ogee Edge 16mm Fascia Colours:

225mm x 16mm x 5m: Rosewood / Black Ash
455mm x 16mm x 5m D/E: Golden Oak / Rosewood / Anthracite Grey / Black Ash

Bullnose Edge



White - W
RAL 9016

150mm x 16mm x 5m Bullnose Fascia	FWB150W
175mm x 16mm x 5m Bullnose Fascia	FWB175W
200mm x 16mm x 5m Bullnose Fascia	FWB200W
225mm x 16mm x 5m Bullnose Fascia	FWB225W
250mm x 16mm x 5m Bullnose Fascia	FWB250W
355mm x 16mm x 5m Bullnose Fascia D/E	FWB355W
405mm x 16mm x 5m Bullnose Fascia D/E	FWB405W
455mm x 16mm x 5m Bullnose Fascia D/E	FWB455W

Special Order Bullnose Edge 16mm Fascia Colours:

175mm x 16mm x 5m: Golden Oak
200mm x 16mm x 5m: Rosewood
455mm x 16mm x 5m D/E: Golden Oak / Rosewood / Black Ash

Flat Edge




White - W
RAL 9016

150mm x 16mm x 5m Flat Fascia	CFF150W
175mm x 16mm x 5m Flat Fascia	CFF175W
200mm x 16mm x 5m Flat Fascia	CFF200W
225mm x 16mm x 5m Flat Fascia	CFF225W
250mm x 16mm x 5m Flat Fascia	CFF250W
405mm x 16mm x 5m Flat Fascia D/E	CFF405W

9mm Cover Board


Square Edge



	 White - W RAL 9016	 White Foil - K RAL 9010	 Cream - D RAL 9001	 Irish Oak - Q (No RAL Match)	 Light Oak - C RAL 8003 *	 Mahogany - M RAL 8016 *	 Rosewood - R RAL 8016 *	 Agate Grey - AG RAL 7038	 Anthracite Grey - X RAL 7016	 Black - Z RAL 8022
100mm x 9mm x 5m	SFN090W	-	-	-	-	-	-	-	-	-
150mm x 9mm x 5m	SFN140W	-	-	-	SFN150C	SFN150M	SFN150R	SFN150AG	SFN150X	SFN150Z
175mm x 9mm x 5m	SFN165W	SFN175K	SFN175D	SFN175Q	SFN175C	SFN175M	SFN175R	SFN175AG	SFN175X	SFN175Z
200mm x 9mm x 5m	SFN190W	-	-	-	SFN200C	SFN200M	SFN200R	SFN200AG	-	SFN200Z
225mm x 9mm x 5m	SFN215W	SFN225K	SFN225D	SFN225Q	SFN225C	SFN225M	SFN225R	SFN225AG	SFN225X	SFN225Z
250mm x 9mm x 5m	SFN240W	-	-	-	SFN250C	SFN250M	SFN250R	-	-	SFN250Z
300mm x 9mm x 5m	SFN290W	-	-	-	SFN300C	SFN300M	SFN300R	SFN300AG	SFN300X	SFN300Z
405mm x 9mm x 5m D/E	SFN385W	SFN405K	SFN405D	SFN405Q	SFN405C	SFN405M	SFN405R	SFN405AG	SFN405X	SFN405Z
605mm x 9mm x 5m	SFN595W	-	-	-	-	-	-	-	-	-

Smooth Shades of Grey (Co-extruded)



	 Light Grey - E Nearest RAL 7040	 Smooth Anthracite Grey - G RAL 7016	 Anthracite Black - A RAL 9011
175mm x 9mm x 5m	SFN175E	SFN175G	SFN175A
200mm x 9mm x 5m	SFN200E	SFN200G	SFN200A
225mm x 9mm x 5m	SFN225E	SFN225G	SFN225A
405mm x 9mm x 5m D/E	SFN405E	SFN405G	SFN405A

Note:

* Closest RAL colour.
Images are not an accurate representation of colour.
We recommend requesting a sample for a true likeness.

Ogee Edge



	
White - W RAL 9016	Anthracite Black - A RAL 9011

150mm x 9mm x 5m	CK150W	CK150A
175mm x 9mm x 5m	CK175W	CK175A
200mm x 9mm x 5m	CK200W	CK200A
225mm x 9mm x 5m	CK225W	CK225A
250mm x 9mm x 5m	CK250W	CK250A
405mm x 9mm x 5m	CK405W	CK405A

Hockey Nose Cill Board



				
White - W RAL 9016	Irish Oak - Q (No RAL Match)	Light Oak - C RAL 8003 *	Mahogany - M RAL 8016 *	Rosewood - R RAL 8016 *

150mm x 9mm x 5m	BNW150W	-	-	-	-
175mm x 9mm x 5m	BNW175W	BNW175Q	BNW175C	BNW175M	BNW175R
200mm x 9mm x 5m	BNW200W	-	-	-	-
225mm x 9mm x 5m	BNW225W	BNW225Q	BNW225C	BNW225M	BNW225R
250mm x 9mm x 5m	BNW250W	-	-	-	-
300mm x 9mm x 5m	BNW300W	-	-	-	-
405mm x 9mm x 5m	BNW405W	-	-	-	-

3mm Rigid Window Board - Square Edge



175mm x 3mm x 5m: Bright White / PWB175JB

245mm x 3mm x 5m: Bright White / PWB175JB

End Cap 100mm Square: Bright White / PWBBCAP

End Caps



					
White - W RAL 9016	Irish Oak - Q (No RAL Match)	Light Oak - C RAL 8003 *	Mahogany - M RAL 8016 *	Rosewood - R RAL 8016 *	Black - Z RAL 8022

50mm Square - Smooth Base Colour	CEC8W20	-	CEC8C20	CEC8M20	-	-
300mm Square - Foiled Match Colour	CEC9W10	CEC2Q10	CEC2C10	CEC2M10	CEC2R10	CEC2Z10
135mm Hockey - Smooth Base Colour	CEC5W05	-	CEC5C05	CEC5M05	-	-
300mm Hockey - Smooth Base Colour	CEC4W10	CEC6Q10	CEC6C10	CEC6M10	CEC6R10	-
300mm Bullnose (for 16mm board)	CEC300W10	-	-	-	-	-



Fascia Trims



Square Edge Fascia Trims



	 White - W RAL 9016	 White Foil - K RAL 9010	 Cream - D RAL 9001	 Irish Oak - Q (No RAL Match)	 Light Oak - C RAL 8003 *	 Mahogany - M RAL 8016 *	 Rosewood - R RAL 8016 *	 Agate Grey - AG RAL 7038	 Anthracite Grey - X RAL 7016	 Black - Z RAL 8022
300mm Joint	CRJW10	-	-	CAJQ10	CAJC10	CAJM10	CAJR10	CAJAG10	CAJX10	CAJZ10
300mm 90° Corner	CRCW10	-	-	CACQ10	CACC10	CACM10	CACR10	CACAG10	CACX10	CACZ10
500mm Square Joint D/E	CSJW02	CSJK02	CSJD02	-	CSJC02	CSJM02	CSJR02	CSJAG02	CSJX02	CSJZ02
500mm 90° Corner D/E	CSCW02	CSCK02	CSCD02	-	CSCC02	CSCM02	CSCR02	CSCAG02	CSCX02	CSCZ02
500mm 90° Internal Corner D/E	CSIW02	-	-	-	-	-	-	-	-	-
300mm 90° Internal Corner (CORNER-INTERNAL)	-	-	-	-	-GO	-WG	-RW	-	-X	-BK
300mm 135° Corner (CORNER-BAY)	-WH	-K	-D	-	-GO	-WG	-RW	-	-X	-BK
300mm 135° Internal Corner (CORNER-BAY-INTERNAL)	-WH	-	-	-	-	-	-	-	-X	-

Smooth Shades of Grey (Co-extruded)



	 Light Grey - E Nearest RAL 7040	 Smooth Anthracite Grey - G RAL 7016	 Anthracite Black - A RAL 9011
300mm Joint	CRJE10	CRJG10	CRJA10
300mm 90° Corner	CRCE10	CRCG10	CRCA10
500mm Square Joint D/E	CSJE02	CSJG02	CSJA02
500mm 90° Corner D/E	CSCE02	CSCG02	CSCA02
500mm 90° Internal Corner D/E	CSIE02	CSIG02	CSIA02

Note:

* Closest RAL colour.
Images are not an accurate representation of colour.
We recommend requesting a sample for a true likeness.

Ogee Edge



	
White - W RAL 9016	Anthracite Black - A RAL 9011

300mm Joint	CKJW	CKJA10
300mm 90° Corner	CKCW	CKCA10
500mm Joint D/E	COJW02	-
500mm 90° Corner D/E	COCW02	-
500mm 90° Internal Corner D/E	COIW02	COIA02
300mm 135° Corner (CORNER-BAY-OGEE)	-W	-

Bullnose Edge




White - W RAL 9016

500mm Fascia Joint D/E	CBJW02
500mm 90° Fascia Corner D/E	CBCW02
500mm 90° Fascia Internal Corner D/E	CBIW02

Flat Edge Fascia Trims






White - W RAL 9016

500mm Flat Joint D/E (16mm boards only)	CFJW02
---	--------

Fascia Finials



						
White - W RAL 9016	Smooth Cream - D RAL 9001	Light Oak - C RAL 8003 *	Mahogany - M RAL 8016 *	Rosewood - R RAL 8016 *	Anthracite Grey - X RAL 701	Black - Z RAL 8022

Finial 350mm - FINIAL	WH	CR	GO	WG	RW	X	Z
-----------------------	----	----	----	----	----	---	---



Soffit Boards

9mm Soffit Board / Multi Use Board



White - W RAL 9016	White Foil - K RAL 9010	Cream - D RAL 9001	Irish Oak - Q (No RAL Match)	Light Oak - C RAL 8003 *	Mahogany - M RAL 8016 *	Rosewood - R RAL 8016 *	Agate Grey - AG RAL 7038	Anthracte Grey - X RAL 7016	Black - Z RAL 8022
-----------------------	----------------------------	-----------------------	---------------------------------	-----------------------------	----------------------------	----------------------------	-----------------------------	--------------------------------	-----------------------

100mm x 9mm x 5m	SM100WF	-	-	-	SM100C	SM100M	SM100R	-	-	SM100Z
150mm x 9mm x 5m	SM150W	SM150K	-	SM150Q	SM150C	SM150M	SM150R	SM150AG	SM150X	SM150Z
175mm x 9mm x 5m	SM175W	SM175K	-	SM175Q	SM175C	SM175M	SM175R	-	SM175X	SM175Z
200mm x 9mm x 5m	SM201W	-	SM200D	SM200Q	SM200C	SM200M	SM200R	SM200AG	SM200X	SM200Z
225mm x 9mm x 5m	SM225W	SM225K	SM225D	SM225Q	SM225C	SM225M	SM225R	-	SM225X	SM225Z
250mm x 9mm x 5m	SM250W	-	-	-	-	-	-	-	SM250X	SM250Z
300mm x 9mm x 5m	SM300W	-	SM300D	SM300Q	SM300C	SM300M	SM300R	SM300AG	SM300X	SM300Z
405mm x 9mm x 5m	SM405W	-	SM405D	SM405Q	SM405C	SM405M	SM405R	SM405AG	SM405X	SM405Z
450mm x 9mm x 5m	SM450W	-	-	-	-	-	-	-	-	-
500mm x 9mm x 5m	SM500W	-	-	-	-	-	-	-	-	-
605mm x 9mm x 5m	SM605W	-	-	-	-	-	-	-	-	-

Smooth Shades of Grey (Co-extruded)



Light Grey - E Nearest RAL 7040	Smooth Anthracite Grey - G RAL 7016	Anthracite Black - A RAL 9011
------------------------------------	--	----------------------------------

150mm x 9mm x 5m	SM150E	SM150G	SM150A
200mm x 9mm x 5m	SM200E	SM200G	SM200A
300mm x 9mm x 5m	SM300E	SM300G	SM300A
405mm x 9mm x 5m	SM405E	SM405G	SM405A

Note:

* Closest RAL colour.
Images are not an accurate representation of colour.
We recommend requesting a sample for a true likeness.

9mm Vented Soffit Board

10mm air gap

						
	White - W RAL 9016	Light Oak - C RAL - 8003	Mahogany - M RAL 8016	Rosewood - R RAL 8016	Anthracite Grey - X RAL 7016	Black - Z RAL 8022
150mm x 9mm x 5m	SM150WV	SM150CV	-	SM150RV	SM150XV	SM150ZV
175mm x 9mm x 5m	SM175WV	SM175CV	SM175MV	SM175RV	SM175XV	SM175ZV
200mm x 9mm x 5m	SM200WV	-	-	-	-	-
225mm x 9mm x 5m	SM225WV	SM225CV	SM225MV	SM225RV	SM225XV	SM225ZV
250mm x 9mm x 5m	SM250WV	-	-	-	-	-
300mm x 9mm x 5m	SM300WV	SM300CV	SM300MV	SM300RV	SM300XV	SM300ZV
405mm x 9mm x 5m	SM405WV	SM405CV	SM405MV	SM405RV	SM405XV	SM405ZV
450mm x 9mm x 5m	SM450WV	-	-	-	-	-
605mm x 9mm x 5m	SM605WV	-	-	-	-	-

25mm air gap

	
	White - W RAL 9016
150mm x 9mm x 5m	SN150WV
225mm x 9mm x 5m	SN225WV
300mm x 9mm x 5m	SN300WV
450mm x 9mm x 5m	SN450WV

Note:

* Closest RAL colour.

Images are not an accurate representation of colour. We recommend requesting a sample for a true likeness.



Soffit Boards

Hollow Soffit Boards



											
100mm x 9mm x 5m	J100W	-	-	-	-	-	-	-	-	-	-
300mm x 9mm x 5m	SUB300W	VHS300Q	VHS300C-	VHS300M	VHS300R	VHS300AG	VHS300X	VHS300Z	SUB300G	SUB300B	SUB300A


Soffit Board Trims



										
Soffit Joint	HJT	SMT1001K	SMT1001D	SMT1001Q	SMT1001C	SMT1001M	SMT1001R	SMT1001AG	SMT1001X	SMT1001Z
Hollow Soffit Edge Trim	HST	-	-	HSTQ	HSTC	HSTM	HSTR	HSTAG	HSTX	HSTZ

Smooth Shades



				
Soffit Joint	SMT1001E	SMT1001G	JJTA	JJTB
Hollow Soffit Edge Trim	-	JSTG	JSTA	JSTB

Note:

* Closest RAL colour.

Images are not an accurate representation of colour.

We recommend requesting a sample for a true likeness.

Disc Ventilators



				
White - W	Tan - GO	Brown - BR	Anthracite Grey - AG	Black - BK

70mm Disc Vent	DV70-WH	DV70-GO	DV70-BR	DV70-AG	DV70-BK
----------------	---------	---------	---------	---------	---------




VENTOVERFASCIA10
Over Fascia Vents 10mm
1m long x 38mm wide x 20mm deep



VENTOVERFASCIA25
Over Fascia Vents 25mm
1m long x 38mm wide x 20mm deep

Angle Strip Vents



		
White	Brown	Black

Angle Vent 30 x 15mm x 5m	C061-WH	-	-
Angle Vent 60 x 15mm x 5m	C065	C065-BR	C065-BK

Continuous Soffit Vents



		
White	Brown	Black

10mm Continuous Soffit Vent	SOFFITVENT WHITE	SOFFITVENT BROWN	SOFFITVENT BLACK
25mm Continuous Soffit Vent	SOFFITVENT WHITE25MM	SOFFITVENT BROWN25MM	-

Eaves Trays & BirdCombs



EAVESTRAY-1.5
Eaves Tray 1.5m



EAVESTRAY-VENTED
2 in 1 Eaves Tray. An eaves tray with integral over fascia vent - 1m



EAVES-3IN1
3 in 1 Eaves Tray. An eaves tray with integral over fascia vent and bird comb - 1m.




BIRDCOMB
Bird Comb 1m

JJ Decorative Roofline


Tudor Board



Tudor Board 150mm x 20mm 5m

			
Light Oak - C RAL 8003 *	Mahogany - M RAL 8016 *	Rosewood - R RAL 8016 *	Black - Z RAL 8022
JTF150C	JTF150M	JTF150R	JTF150Z

Bargeboards



DBCAV1-WH

Concave Decorative Barge Board 5m
White (165mm min / 225mm max)



DBVEX1-WH

Convex Decorative Barge Board 5m
White (165mm min / 225mm max)



C475WH

Flat Roof Spire 910mm



C476WH

Flat Spire 1310mm



C466WH

GRP Roof Spire 3D 910mm



C496-WH

GRP Ball Finial 1500mm



C474-WH

GRP Ball Finial 965mm



C473-WH

Bracing Bar 1500mm



C497-WH

Jointing Bracket



XTERIO COLLECTION

Gallow Brackets



Dentils



Rafter Ends



Cornice



Discover ORAC Xterio: dentil mouldings, gallows brackets, imitation rafter ends and external cornice references, all in various sizes and pre finished in white (RAL9003). Crafted from high-quality polyurethane or Duropolymer[®] for durability.

Enjoy a 10-year manufacturer's warranty on standard products with proper installation.




Window Trims

Edging Trims - 5m

	 White - W RAL 9016	 Bright White - J RAL 9003	 White Foil - K RAL 9010	 Cream - D RAL 9001	 Chartwell Green - L RAL 6019 *	 Irish Oak - Q (No RAL Match)	 Light Oak - C RAL 8003 *	 Mahogany - M RAL 8016 *	 Rosewood - R RAL 8016 *	 Agate Grey - AG RAL 7038	 Anthracite Grey - X RAL 7016	 Smooth Anthracite Grey - SX RAL 7016	 Black - Z RAL 8022	 Smooth Black - SZ RAL 8022
12mm Quadrant	RQ12W	-	RQ12K	-	-	-	RQ12C	RQ12M	RQ12R	-	-	-	RQ12Z	-
17.5mm Quadrant	RQ17W	RQ17J	RQ17K	RQ17D	RQ17L	RQ17Q	RQ17C	RQ17M	RQ17R	RQ17AG	RQ17X	RQ17SX	RQ17Z	
15 x 13mm Rectangle	RS14W	RS14J	-	-	-	-	-	RS14M	-	-	-	-	-	-
25 x 20mm Rectangle	RS25W	RS25J	RS25K	-	-	RS25Q	RS25C	RS25M	RS25R	-	RS25X	-	RS25Z	RS25SZ
22 x 20mm Rectangle	-	-	-	1179-CR	1179-CG	-	-	-	-	1179-AG	-	-	-	-
20mm Edge Trim	RL020W	RL020J	RL020K	-	RL020L	RL020Q	RL020C	RL020M	RL020R	RL020AG	RL020X	RL020Z	RL020Z	RL020SZ
25mm Dee Mould Trim	RL025W	RL025J	RL025K	RL025D	RL025L	RL025Q	RL025C	RL025M	RL025R	RL025AG	RL025X	RL025Z	RL025Z	RL025SZ
50mm Dee Mould Trim	RL050W	-	-	-	-	-	-	-	-	-	-	-	-	-
22mm Scotia Mould	RM22W	-	-	-	-	-	-	-	-	-	-	-	-	-
75mm Dee Mould Trim	RL075W	-	-	-	-	-	-	-	-	-	-	-	-	-

Special Foil Colours

	 Pebble Grey - I RAL 7032	 Claystone - O (No RAL Match)	 Sage Foil - U (No RAL Match)	 Moondust RAL	 Slate Grey RAL
18mm Quadrant	RQ18I	RQ18O	RQ18U	-	-
22 x 20mm Rectangle	-	-	-	1179-MOONDUST	1179-SLATEG
20mm Cloaking Fillet	-	-	-	1175-MOONDUST	1175-SLATEG
25mm Dee Mould Trim	-	-	-	1176-MOONDUST	1176-SLATEG
28mm Dee Section	RD028I	RD028O	RD028U	-	-
28mm Edge Trim	RE028I	RE028O	RE028U	-	-

Note:

* Closest RAL colour.
Images are not an accurate
representation of colour.
We recommend requesting a sample
for a true likeness.



6mm Architraves & Skirting - Flat Back





												
White - W RAL 9016	White Foil - K RAL 9010	Cream - D RAL 9001	Chartwell Green - L RAL 6019 *	Irish Oak - Q (No RAL Match)	Light Oak - C RAL 8003 *	Mahogany - M RAL 8016 *	Rosewood - R RAL 8016 *	Agate Grey - AG RAL 7038	Anthracite Grey - X RAL 7016	Smooth Anthracite Grey - SX RAL 7016	Black - Z RAL 8022	Smooth Black - SZ RAL 8022

45mm Architrave -5m	RT045W	RT045K	RT045D	RT045L	RT045Q	RT045C	RT045M	RT045R	RT045AG	RT045X	RT045SX	RT045Z	RT045SZ
70mm Skirting -5m	RT070W	RT070K	RT070D	RT070L	RT070Q	RT070C	RT070M	RT070R	RT070AG	RT070X	RT070SX	RT070Z	RT070SZ
95mm Skirting -5m	RT095W	RT095K	RT095D	RT095L	RT095Q	RT095C	RT095M	RT095R	RT095AG	RT095X	RT095SX	RT095Z	RT095SZ

Special Foils Colours


5.5mm - Flat Back



		
Pebble Grey - I RAL 7032	Claystone - O (No RAL Match)	Sage Foil - U (No RAL Match)

45mm Architrave -5m	RK045I	RK045O	RK045U
65mm Architrave -5m	RK065I	RK065O	RK065U
95mm Architrave -5m	RK095I	RK095O	RK095U

6mm - Castellated



	
Moondust RAL	Slate Grey RAL

40mm Architrave -5m	1087-MOONDUST	1087-SLATEG
60mm Architrave -5m	1088-MOONDUST	1088-SLATEG
90mm Architrave -5m	1089-MOONDUST	1089-SLATEG

Note:

* Closest RAL colour.

Images are not an accurate representation of colour. We recommend requesting a sample for a true likeness.



Architraves & Skirting

6mm - Castellated



	
White - W RAL 9016	Bright White - J RAL 9003

45mm Architrave -5m	RC045W	RC045J
70mm Skirting -5m	RC070W	RC070J
95mm Skirting -5m	RC095W	RC095J

7.5mm




White - W RAL 9016

35mm Architrave -5m	RP035W
50mm Skirting -5m	RP050W
75mm Skirting -5m	RP075W
100mm Architrave/Skirting -5m	RP100W
125mm Skirting -5m	RP125W

12mm




White - W RAL 9016

45mm Architrave	RP045W
70mm Skirting	RP070W
95mm Ogee Skirting	RP095W



Note:

* Closest RAL colour.

Images are not an accurate representation of colour. We recommend requesting a sample for a true likeness.

Angles



 White - W RAL 9016	 Light Oak - C RAL 8003 *	 Mahogany - M RAL 8016 *	 Rosewood - R RAL 8016 *	 Anthracite Grey - X RAL 7016	 Black - Z RAL 8022
--	--	--	---	--	--

25 x 25mm Angle	RA025W	RA025C	RA025M	RA025R	RA025X	RA025Z
50 x 50mm Angle	RA050W	RA050C	RA050M	RA050R	RA050X	RA050Z
80 x 100mm Hollow Angle	SA100W	SA100C	-	SA100R	-	SA100Z

Plaslyne Angles



 Brilliant White - B	 Anthracite Grey - X RAL 7016
---	---

25 x 25mm Solid Angle	PSA25X25B	PSA25X25X
32 x 32mm Solid Angle	PSA32X32B	-
50 x 50mm Solid Angle	PSA50X50B	PSA50X50X
60 x 60mm Solid Angle	PSA60X60B	-
80 x 80mm Solid Angle	PSA80X80B	-
100 x 100mm Solid Angle	PSA100X100B	-

Flexible Strips



 White - W RAL 9016
--

50mm Flexible Strip	ST45W
75mm Flexible Strip	ST75W

Note:

* Closest RAL colour.


Images are not an accurate representation of colour. We recommend requesting a sample for a true likeness.



Laminated Boards - Keyboard

Keyboard Laminated Window Boards



				
White - W RAL 9016	Pine - P	Light Oak - GO	Woodgrain - WG	Rosewood - R

150mm x 22mm x 5m	KB/150/W	-	-	-	KB/150/R
180mm x 22mm x 5m	KB/180/W	KB/180/P	KB/180/GO	-	KB/180/R
200mm x 22mm x 5m	KB/200/W	KB/200/P	KB/200/GO	KB/200/WG	KB/200/R
225mm x 22mm x 5m	KB/225/W	KB/225/P	KB/225/GO	KB/225/WG	KB/225/R
250mm x 22mm x 5m	KB/250/W	KB/250/P	KB/250/GO	KB/250/WG	KB/250/R
300mm x 22mm x 3.05m	KB/300/3M/W	KB/300/3M/P	KB/300/3M/GO	-	KB/300/3M/R
300mm x 22mm x 5m	KB/300/W	KB/300/P	KB/300/GO	-	KB/300/R
600mm x 22mm x 3m	KB/600/3W	KB/600/3P	KB/600/3GO	-	KB/600/3R
900mm x 22mm x 5m	KB/900/W	-	-	-	-



		
White - W RAL 9016	Tan - P	Brown - GO

End Cap	KB/EC/W	KB/EC/TAN	KB/EC/BROWN
Mitre Joint	KB/MS/W	KB/MS/TAN	KB/MS/BROWN
Joint and External Mitre Strip	KB/JOINT/W	-	-

Note:

Images are not an accurate representation of colour.
We recommend requesting a sample for a true likeness.

Laminated Skirting and Architraves



		
White - W RAL 9016	Pine - P	Light Oak - LO

68mm Ogee	KA/68/W	KA/68/P	KA/68/LO
-----------	---------	---------	----------



		
White - W RAL 9016	Pine - P	Light Oak - LO

94mm Torus	KS/94/W	KS/94/P	KS/94/LO
------------	---------	---------	----------



		
White - W RAL 9016	Pine - P	Light Oak - LO

144mm Torus	KS/144/W	KS/144/P	KS/144/LO
-------------	----------	----------	-----------



External Cladding

Upvc Cladding

Swish Cladding	22
Cladding Trims	23

Fibre Cement Cladding James Hardie

Hardie® Plank	24
Hardie® VL Plank	26
Accessories & Tools	28
Hardie® Panel	29
Hardie® Panel - Accessories	31

NatureClad

NatureClad Cladding	32
NatureClad Trims	33

Durasid

Original - Siding Ranges	34
Natural	35
Foresta	36

Please note that colours shown in this product guide are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.

Swish Cladding



Swish's range of high-quality external PVC cladding profiles offers a durable and low-maintenance system and is complete with an extensive range of trims. With its weather-resistant design and easy installation process, Swish cladding is a long-lasting and cost-effective solution for both commercial and residential properties. Available in a variety of styles and colours, Swish cladding can be customised to suit any design preference.

- Low-maintenance
- Durable & long lasting
- Weather-resistant
- Cost-effective solution
- Fast and easy to install
- Available in a range of styles
- Resistant to rot, mould & pests



Shiplap



Open V



Tee Gee



Feather Edge



	White - W RAL 9016	Light Oak - C RAL 8003 *	Mahogany - M RAL 8016 *	Rosewood - R RAL 8016 *	Agate Grey - AG RAL 7038	Anthracite Grey - X RAL 7016	Black - Z RAL 8022
100mm Shiplap 5m	CS100W	-	-	-	-	-	-
150mm Shiplap 5m	CS150W	CS150C	CS150M	CS150R	CS150AG	CS150X	CS150Z
300mm Shiplap 5m	CS300W	-	-	-	-	-	-
100mm Open V 5m	CV100W	CV100C	CV100M	CV100R	-	CV100X	CV100Z
150mm Open V 5m	CV150W	-	-	-	-	-	-
125mm Tee Gee 5m	C055W	-	-	-	-	-	-
125mm Feather Edge 5m	CF125W	-	-	-	-	-	-

Cladding Trims

Full installation guide available on request



						
White - W RAL 9016	Light Oak - C RAL 8003 *	Mahogany - M RAL 8016 *	Rosewood - R RAL 8016 *	Agate Grey - AG RAL 7038	Anthracite Grey - X RAL 7016	Black - Z RAL 8022




White - W RAL 9016

100mm Shiplap Joint	CJ042W	-	-	-	-	-	-
150mm Shiplap Joint	CJ043W	CJ043C	CJ043M	CJ043R	CJ043AG	CJ043X	CJ043Z
300mm Shiplap Joint	CJ045W	-	-	-	-	-	-
100mm Open V Joint	CJ281W	CJ281C	CJ281M	CJ281R	-	-	CJ281Z
150mm Open V Joint	CJ044W	-	-	-	-	-	-
125mm Feather Edge & Tee Gee Joint	CJ057W	-	-	-	-	-	-
Universal Channel	CT026W	CT026C	CT026M	CT026R	CT026AG	CT026X	CT026Z
2-Part Joint	CT667W	CT667C	CT667M	CT667R	CT667AG	CT667X	CT667Z
2-Part Universal Trim	CT664W	CT664C	CT664M	CT664R	CT664AG	CT664X	CT664Z
2-Part Corner Trim	CT666W	CT666C	CT666M	CT666R	CT666AG	CT666X	CT666Z

Universal Starter Trim	CT027W
Wall Starter	CT028W
Drip Starter	CT029W
External Corner Trim	CT030W
Centre Joint	CT033W
Drip Trim	CT035W
Universal Channel + Cover	CT040W

Note:

* Closest RAL colour.

Images are not an accurate representation of colour.

We recommend requesting a sample for a true likeness.



Hardie® Plank - James Hardie











Hardie® Plank fibre cement cladding combines quality and beauty in one product. Its range of 21 colours in either cedar or smooth makes it the perfect design choice for any building.

It's low maintenance thanks to the ColourPlus™ technology, which allows you to enjoy the rustic look of wood without regular maintenance. Additionally, it is fire-resistant, extremely durable and comes with a 15-year manufacturer's warranty.

Hardie® Plank is versatile and quick and easy to install, and can be installed in several ways, including horizontal, vertical, lapped or open-jointed, giving you even more design flexibility.

- Most natural look
- Fire-resistant A2 rating
- 21 colours - 2 textures
- Fast and easy to install
- Low maintenance
- 15-year manufacturer's warranty

Dimensions	Weight per Plank	Planks per m ²	Visible Surface
3600 x 180 x 8mm	7.4KGg	1.85	150-180mm

Cedar Smooth  Arctic White - AW	Cedar Smooth  Sail Cloth - SC	Cedar Smooth  Light Mist - LM	Cedar Smooth  Grey Slate - GS	Cedar Smooth  Anthracite Grey - AG	Cedar Smooth  Midnight Black - MB	Cedar Smooth  Cobble Stone - CS
Cedar Smooth  Woodland Cream - WC	Cedar Smooth  Soft Green - SG	Cedar Smooth  Pearl Grey - PG	Cedar Smooth  Monterrey Taupe - MT	Cedar Smooth  Khaki Brown - KB	Cedar Smooth  Heathered Moss - HM	Cedar Smooth  Mountain Sage - MS
Cedar Smooth  Boothbay Blue - BB	Cedar Smooth  Evening Blue - EB	Cedar Smooth  Traditional Red - TR	Cedar Smooth  Chestnut Brown - CB	Cedar Smooth  Timber Bark - TB	Cedar Smooth  Rich Espresso - RE	Cedar Smooth  Iron Grey - IG



1

HARDIE-PLANK-STARTVENT

Starter Ventilation Profile 3m

Options:

25mm, 38mm, 50mm

Colour: Aluminium



2

HARDIE-PLANK-TOPVENT

Ventilation Profile 3m

Options:

25mm, 38mm, 50mm

Colour: Aluminium



3

HARDIE-PLANK-EXTCORNER-20MM

MetalTrim™ External Corner 3m

Colours: AW, SC, LM, GS, AG, MB, CS, WC, SG, PG, MT, KB, HM, MS, BB, EB, TR, CB, TB, RE, IG



4

HARDIE-PLANK-INTCORNER-20MM

MetalTrim™ Internal Corner 3m

Colours: AW, SC, LM, GS, AG, MB, CS, WC, SG, PG, MT, KB, HM, MS, BB, EB, TR, CB, TB, RE, IG



5

HARDIE-NT3-TRIM

HardieTrim™ NT3™ 3.655m

Options:

90 x 3655 x 25mm,
140 x 3655 x 25mm

Colours: AW, SC, MB



6

HARDIE-PLANK-ABUTMENT

MetalTrim™ Abutment Profile 3m for horizontal installations only

Options:

25mm, 38mm

Colours: AW, LM, GS, AG, MB



Full installation guide is available
on request or online at
eweplastics.co.uk

Scan for installation guide



Note:

Images are not an accurate representation of colour. We recommend requesting a sample for a true likeness.



Hardie® VL Plank - James Hardie



Hardie® VL Plank is a fibre cement interlocking cladding system that offers quality, versatility, and faster installation. You can choose from eight modern colours with a cedar texture to create a beautiful finish.

The interlocking clip-less system enables up to 20% faster installation as each plank seamlessly interlocks with the other to create a stunning, clean look. Hardie® VL Plank is low maintenance thanks to its ColourPlus™ technology, which allows you to enjoy the rustic look of wood without regular upkeep. It is fire-resistant, extremely durable, and comes with a 15-year manufacturer's warranty.

- Most natural look
- Fire-resistant A2 rating
- 8 colours
- At least 20% faster installation
- Low maintenance
- 15-year manufacturer's warranty

Dimensions	Weight per Plank	Planks per m ²	Visible Surface
3600 x 214 x 11mm	10.5kg	1.85	182mm




Arctic White - AW



Sail Cloth - SC



Light Mist - LM



Grey Slate - GS




Anthracite Grey - AG



Midnight Black - MB




Khaki Brown - KB



Chestnut Brown - CB

Note:

Images are not an accurate representation of colour. We recommend requesting a sample for a true likeness.



Full installation guide is available
on request or online at
eweplastics.co.uk

Scan for installation guide





Hardie® Plank - Accessories & Tools



Hardie™ Seal

ColourPlus™ Technology-matched paints, crucial for proper installation of James Hardie cladding, including edge coating for cut ends, ensuring durability with efficient single-coat coverage and quick drying

All 21 Colours

AW	SC	LM	GS	AG	MB	CS
WC	SG	PG	MT	KB	HM	MS
BB	EB	TR	CB	TB	RE	IG

Code: HARDIE-SEAL-1L



Hardie™ Panel Screws

Purpose-made fixings to complete your Hardie® Plank installations, Available with colour-matched heads in all 21 ColourPlus™ colours.

Available in quantities of 50 or 250.

All 21 Colours

AW	SC	LM	GS	AG	MB	CS
WC	SG	PG	MT	KB	HM	MS
BB	EB	TR	CB	TB	RE	IG

Code: HARDIE-PANEL-50SCREWS

Code: HARDIE-PANEL-SCREWS



EPDM Tape

The high-quality EPDM tape protects wooden battens from the elements and ensures clean joints.

Available in 20 m rolls of 60, 80, 100 and 120mm wide.

Colour: Black

Width

60mm	80mm	100mm	120mm
-60	-80	-100	-120

Code: HARDIE-EPDMTAPE



Hardie™ Blade Saw Blade

Specially designed for minimal dust and for precise cuts. For outdoor use only. Available in

160mm, fitting 20/16mm bores, 190mm, fitting 30/20mm bores and 254mm & 305mm, fixed at 30mm bores, diameters.

Diameter

160mm	190mm	254mm	305mm
-160	-190	-254	-305

Code: HARDIE-BLADE



HARDIE-PANEL-SCREWS-BLANK

Hardie® Panel Screws
(250 Box Qty)
Size: 4.8x38mm diameter, head 12mm.



HARDIE-VLPLANK-SCREW-4X40MM

Hardie® Plank Screws
T15 Torx, A2 stainless steel, 4.2x40mm, with 10mm low profile head.



HARDIE-CLIP-100

Hardie™ Clip (100 Qty)
Recommended only for Hardie® Plank in exposed areas such as coastlines.



HARDIE-GUILLOTINE

Hardie® Plank Guillotine
Ensure a fast and accurate cut every time.



HARDIE-GECKO-GAUGE

Gecko Gauge
Great for speeding up Hardie® Plank installations.



HARDIE-FIRE-BARRIER

Tenmat FF102/50
Ventilated Fire Barrier, for horizontal installations
6 x 75 x 1000mm



HARDIE-FIRE-BARRIER-VERT-40

Tenmat NVFB-WB Non-ventilated Fire Barrier, for vertical installations
40 x 100 x 1200mm



HARDIE-FIRE-BARRIER-VERT-50

Tenmat NVFB-WB Non-ventilated Fire Barrier, for vertical installations
50 x 100 x 1200mm



HARDIE-FIRE-BARRIER-VERT-60

Tenmat NVFB-WB Non-ventilated Fire Barrier, for vertical installations
60 x 100 x 1200mm

Scan for fire barrier details.

Always verify project requirements with your designer, building control and Tenmat.

Scan for Tenmat / Hardie brochure



Hardie® Panel

Design flexibility that's affordable



Introducing the **Hardie® Panel** Range – the ideal choice for your next project. This affordable, high-performance A2 fire-rated panel cladding system is crafted from high-quality fibre cement, ensuring strength, durability and an affordable solution for any construction project.

- Low-maintenance
- Non-combustible
- 15-year manufacturer's warranty
- Easy to install
- Can withstand high winds and hail

Hardie® Panel offers multiple texture options and stylish colours, giving flexibility for all design requirements. Choose from:

Hardie® Panel - Smooth texture

Hardie® Architectural Panel - Two textures of Smooth Sand and Brushed Concrete

Hardie® Architectural Panel Metallics - Unique fibre cement texture with a metallic look



Hardie® Panel


Available in a smooth texture and a variety of core colours, or can be ordered in a custom RAL reference for a bespoke look.



Hardie® Architectural Panel


Brushed Concrete and Smooth Sand

Available in two textures and 6 modern shades. Can't find the right colour for your project ask about our custom colour service.



Metallics

Inspired by typical metal materials, combining them with the unique look of the fibre cement surface, available in 6 metallic shades.



Hardie® Panels are available in two thicknesses with a standard panel size:

Panel Size	Thickness
3048 x 1220mm	8mm (Standard)
3048 x 1220mm	11mm (High Impact*)

***Note:** 11mm panels achieve EAD 090062-00-0404 Category I for impact resistance (first 1.5m of wall height in high footfall areas).

Hardie® Panel - Installation tools & accessories



HARDIE-PANEL-EXTCORNER-10MM

MetalTrim external Corner Trim
10 mm

Colours: AW, GS, LM, CS, AG,
MB - (All 21 Hardie colours)



HARDIE-PLANK-TOPVENT

Ventilation Profile
Colours: Aluminium



HARDIE-EPDMTAPE

EPDM Tape
Colours: Black



HARDIE-PANEL-HORIZONTALDRIP-MB

Hardie Panel Horizontal Drip
3m
Colours: Midnight Black



**HARDIE-PANEL-50SCREWS-
HARDIE-PANEL-SCREWS-**

Available in quantities of 50 or
250.
Colours: AW, GS, LM, CS, AG,
MB - (All 21 Hardie colours)

Add The finishing Design Touches



Standing Seam : Elevate your project with an urban touch by seamlessly incorporating standing seam details between the Hardie® Panels. Achieving this modern aesthetic is made effortless with specially designed trims that perfectly complement the panels, ensuring a polished and cohesive finish.



**Hardie™ Panel Standing
Seam Trim**

Length: 3000mm

Available in the entire colour
range from James Hardie.



**Hardie™ Panel Standing
Seam End Trim.**

Length: 3000mm

Available in the entire colour
range from James Hardie



Tudor Board : Achieve the classic look of Tudor board with Hardie® Panel. By combining Arctic White Hardie® Panel with Hardie®'s NT3® trim, you can create an authentic and elegant Tudor aesthetic. This combination also provides an A2 fire-rated finish, ensuring both beauty and safety for your project.



Hardie® NT3® TRIM

Options:

90 x 3655 x 25mm

140 x 3655 x 25mm

Colours: Arctic White, Midnight Black and Sail Cloth



Experience the benefits of NatureClad high-definition PVC external cladding

Versatile, lightweight and effortlessly easy to install. The protective PVDF layer and low surface tension provide exceptional resistance to dirt and chemicals, ensuring lasting quality.

It features a realistic woodgrain texture available in an array of colours, expertly crafted to elevate both style and functionality in your space.

Lightweight, straightforward installation, minimal maintenance, makes it ideal for both property owners and installers.

	 Morning Dew Silver	 Chiminea Charcoal	 Coastal Sand	 Cumulus Grey	 Moonlight Anthracite	 Rich Espresso
Double Shiplap 300mm - 5m (4 pack)	NC300MS	NC300CC	NC300CS	NC300CG	NC300MA	NC300RE
Feather Edge 270mm - 5m (4 pack)	NC270MS	NC270CC	NC270CS	NC270CG	NC270MA	NC270RE

Scan for NatureClad
installation Guide:



NatureClad®
FEEL THE GREAT OUTDOORS

Cladding Trims

Full installation guide available on request



Morning Dew Silver



Chimineia Charcoal




Coastal Sand



Cumulus Grey



Midnight Anthracite



Rich Espresso

	Morning Dew Silver	Chimineia Charcoal	Coastal Sand	Cumulus Grey	Midnight Anthracite	Rich Espresso	White
--	--------------------	--------------------	--------------	--------------	---------------------	---------------	-------

Wall Starter - 5m	-	-	-	-	-	-	C668W
Universal Channel - 5m	NCUCHMS	NCUCHCC	NCUCHCS	NCUCHCG	NCUCHMA	NCUCHRE	-
2 Part Universal - 5m	NC2PTUNIMS	NC2PTUNICC	NC2PTUNICS	NC2PTUNICG	NC2PTUNIMA	NC2PTUNIRE	-
2 Part Corner - 5m	NC2PTCNRMS	NC2PTCNRCC	NC2PTCNRCS	NC2PTCNRCG	NC2PTCNRMA	NC2PTCNRRE	-
2 Part Joint - 5m	NC2PTJNTMS	NC2PTJNTCC	NC2PTJNTCS	NC2PTJNTCG	NC2PTJNTMA	NC2PTJNTRE	-

Complete your project seamlessly with coordinating trims and joints

with consistent colours across all panels, you won't have to worry about the hassle of batch matching.

With a super-matt finish, this versatile product can be used in numerous ways, from feature panels and bay windows to gable elevations and dormers, as well as lodges and garden rooms.

Note:

Images are not an accurate representation of colour. We recommend requesting a sample for a true likeness.



Durasid Cladding





Durasid Original is a low-maintenance and high-quality cladding solution for exterior walls. Its range has three styles with a natural embossed wood grain finish in 8 modern colours.



Durasid cladding is made from durable PVC-U and has a co-extruded top layer to keep the colour looking great for years. It's easy to maintain, extremely impact-resistant and easy to install.

Durasid Original Styles:

- **Single Siding 167mm:** Offers an overlapping finish.
- **Vertical Siding 167mm:** Can be installed vertically or horizontally for a v groove finish.
- **Double Siding 333mm:** For faster installation and creates a shiplap finish.



Code	White - W	Cream - CR	Sand - SD	Grey - GR	Camel - CM	Anthracite - AG	Quartz Grey - QG	Blue Grey - BG
------	-----------	------------	-----------	-----------	------------	-----------------	------------------	----------------




Single Siding Panel 167mm x 5m	PEMBS167-	W	CR	SD	GR	CM	AG	QG	BG
167mm Standard Joiner	PSLBJ167-	W	CR	SD	GR	CM	AG	QG	BG
167mm Invisible Joiner	PSBJI167-	W	CR	SD	GR	CM	AG	QG	BG
Vertical Siding Panel 167mm x 5m	PEMBSV-	W	CR	SD	GR	CM	AG	QG	BG
167mm Vertical Invisible Joiner	PSLBIV167-	W	CR	SD	GR	CM	AG	QG	BG
Double Siding Panel 333mm x 5m	PEMBSL333-	W	CR	SD	GR	CM	AG	QG	BG
333mm Standard Joiner	PSLBJ-	W	CR	SD	GR	CM	AG	QG	BG
333mm Invisible Joiner	PSLBJI333-	W	CR	SD	GR	CM	AG	QG	BG






Code	White - W	Cream - CR	Sand - SD	Grey - GR	Camel - CM	Anthracite - AG	Quartz Grey - QG	Blue Grey - BG
------	-----------	------------	-----------	-----------	------------	-----------------	------------------	----------------



Two-Part PVC Edge Trim 3m	PSLTE-	W	CR	SD	GR	CM	AG	-	-
Two-Part Aluminium Edge Trim 3m	PSLTEA-	-	CR	SD	GR	CM	AG	QG	BG
H Joining Profile 3m	PSLH-	W	CR	SD	GR	CM	AG	-	-
Two-Part PVC Corner 3m	PSLC2-	W	CR	SD	GR	CM	AG	-	-
Two-Part Aluminium Corner 3m	PSLC2A-	-	CR	SD	GR	CM	AG	QG	BG
50 x 50mm PVC Angle 3m	PSLA-	W	CR	SD	GR	CM	AG	-	-
50 x 150mm Aluminium Angle 3m	PSLAA-	-	CR	SD	GR	CM	AG	QG	BG



Durasid Natural cladding is a contemporary alternative to traditional wooden exterior cladding. It features a narrow wood grain texture and an overlapping finish in five stylish shades that create a natural look.



Code	Silver - SV	Cedar - CD	Graphite - GP	Olive - OV	Walnut - WL
------	-------------	------------	---------------	------------	-------------



Natural Panel 167mm x 5m	PEMNAT-	SV	CD	GP	OV	WL
167mm Invisible Joiner	PSBJI167-	SV	CD	GP	OV	WL
Two-Part Aluminium Edge Trim 3m	PSLTEA-	NATSV	NATCD	NATGP	NATOV	NATWL
Two-Part Aluminium Corner 3m	PSLC2A-	NATSV	NATCD	NATGP	NATOV	NATWL
50 x 150mm Aluminium Angle 3m	PSLAA-	NATSV	NATCD	NATGP	NATOV	NATWL



Durasid Cladding



Durasid Foresta is an external wall cladding with a wood design on each board. The unique process of digital printing is applied to the rigid foam panels resulting in a realistic, natural wood finish. Available in a choice of 8 colours in 5m lengths.


Please note, the aluminium trims are a solid colour and not a printed design.

Light Ivory RAL 1015	Grey Beige RAL 1019	Beige Grey RAL 7006	Clay Brown RAL 8003	Olive Brown RAL 8008

Sheffield Oak - SO Trim Colour: Light Ivory	Barnwood Grey - BG Trim Colour: Grey Beige	Woodland Grey - WG Trim Colour: Beige Grey	Grey Cedar - GC Trim Colour: Beige Grey	African Padauk - AP Trim Colour: Beige Grey	Siberian Larch - SL Trim Colour: Clay Brown	Red Cedar - RC Trim Colour: Clay Brown	Woodland Oak - WO Trim Colour: Olive Brown



Code	SO	BG	GW	GC	AP	SL	RC	WO
Foresta Panel 250mm x 5m	PEMFOR-SO	PEMFOR-BG	PEMFOR-GW	PEMFOR-GC	PEMFOR-AP	PEMFOR-SL	PEMFOR-RC	PEMFOR-WO
Two-Part PVC Edge Trim 3m	PSLTE-FORSO	PSLTE-FORBG	PSLTE-FORWG	PSLTE-FORGC	PSLTE-FORAP	PSLTE-FORSL	PSLTE-FORRC	PSLTE-FORWO
Two-Part PVC Corner 3m	PSLC2-FORSO	PSLC2-FORBG	PSLC2-FORWG	PSLC2-FORGC	PSLC2-FORAP	PSLC2-FORSL	PSLC2-FORRC	PSLC2-FORWO



Code	Light Ivory	Grey Beige	Beige Grey	Clay Brown	Olive Brown
Two-Part Aluminium Edge Trim 3m	PSLTEA-FORSO	PSLTEA-FORBG	PSLTEA-FORAP	PSLTEA-FORRC	PSLTEA-FORWO
Two-Part Aluminium Corner 3m	PSLC2A-FORSO	PSLC2A-FORBG	PSLC2A-FORAP	PSLC2A-FORRC	PSLC2A-FORWO
50 x 150mm Aluminium Angle 3m	PSLAA-FORSO	PSLAA-FORBG	PSLAA-FORAP	PSLAA-FORRC	PSLAA-FORWO



Gutters & Drainage

Gutters & Downpipes

Half Round Gutters	38
Square Gutters	39
Ogee Gutters	40
Deepflow Gutters	41
Round Downpipe	42
Square Downpipe	43
Super Deep Gutters	44
Gutter Adaptors / Accessories	45

Cast Iron Effect Gutters

Half Round Gutters	46
Ogee Gutters	47
Deepflow Gutters	48

Aluminium Guttering

Aluminium Guttering	49
---------------------	----

Underground & Soil Systems

110mm Soil Pipes	50
110mm UG Pipes	52
160mm UG pipes	54
Inspection Chambers	55
Channel Drainage	56

Please note that colours shown in this product guide are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.

Half Round Gutters



KM 508760



Height	Width	Flow Rate	Area Drained	Downpipe
50mm	122mm	0.9 l/s	43m ²	Round

				
White - W	Brown - BR	Grey - GY	Anthracite Grey - AG	Black - BK

				
White - W	Brown - BR	Grey - GY	Anthracite Grey - AG	Black - BK

 Half Round Gutter 4m	KFG4W	KFG4BR	KFG4GY	KFG4AG	KFG4BL
---	-------	--------	--------	--------	--------

 90° Angle	KFA1W	KFA1BR	KFA1GY	KFA1AG	KFA1BL
---	-------	--------	--------	--------	--------

 135° Angle	KFA2W	KFA2BR	KFA2GY	KFA2AG	KFA2BL
---	-------	--------	--------	--------	--------

 External Stopend	KFE1W	KFE1BR	KFE1GY	KFE1AG	KFE1BL
---	-------	--------	--------	--------	--------

 Internal Stopend	KFE2W	KFE2BR	KFE2GY	KFE2AG	KFE2BL
---	-------	--------	--------	--------	--------

 Fascia Bracket	KFK1W	KFK1BR	KFK1GY	KFK1AG	KFK1BL
--	-------	--------	--------	--------	--------

 Running Outlet	KFO1W	KFO1BR	KFO1GY	KFO1AG	KFO1BL
---	-------	--------	--------	--------	--------


 Stopend Outlet	KFO2W	KFO2BR	KFO2GY	-	KFO2BL
--	-------	--------	--------	---	--------

 Union Bracket	KFU1W	KFU1BR	KFU1GY	KFU1AG	KFU1BL
---	-------	--------	--------	--------	--------



KM 508760

Square Gutters



Height	Width	Flow Rate	Area Drained	Downpipe
57mm	117mm	1.6 l/s	76m ²	Round/Square

				
White - W	Caramel - C	Brown - BR	Anthracite Grey - AG	Black - BK

				
White - W	Caramel - C	Brown - BR	Anthracite Grey - AG	Black - BK

	Square Gutter 4m	KFGS4W	KFGS4C	KFGS4BR	KFGS4AG	KFGS4BL
	90° Angle	KFAS1W	KFAS1C	KFAS1BR	KFAS1AG	KFAS1BL
	135° Angle	KFAS2W	KFAS2C	KFAS2BR	KFAS2AG	KFAS2BL
	External Stopend	KFES1W	KFES1C	KFES1BR	KFES1AG	KFES1BL
	Internal Stopend	KFES2W	-	KFES2BR	KFES2AG	KFES2BL


	Fascia Bracket	KFKS1W	KFKS1C	KFKS1BR	KFKS1AG	KFKS1BL
	Running Outlet	KFOS1W	KFOS1C	KFOS1BR	KFOS1AG	KFOS1BL
	Stopend Outlet	KFOS2W	KFOS2C	KFOS2BR	-	KFOS2BL
	Union Bracket	KFUS1W	KFUS1C	KFUS1BR	KFUS1AG	KFUS1BL

* 10 Year Guarantee does not include the caramel colour.

Ogee Gutters



KM 508760



Height	Width	Flow Rate	Area Drained	Downpipe
70mm	120mm	2.2 l/s	105m ²	Round / Square

				
White - W	Caramel - C	Brown - BR	Anthracite Grey - AG	Black - BK

				
White - W	Caramel - C	Brown - BR	Anthracite Grey - AG	Black - BK

 Ogee Gutter 4m	OGG4W	OGG4C	OGG4BR	OGG4AG	OGG4BL
 90° Internal Angle	OGA1W	OGA1C	OGA1BR	OGA1AG	OGA1BL
 135° Internal Angle	OGA3W	OGA3C	OGA3BR	OGA3AG	OGA3BL
 90° External Angle	OGA2W	OGA2C	OGA2BR	OGA2AG	OGA2BL
 135° External Angle	OGA4W	OGA4C	OGA4BR	OGA4AG	OGA4BL
 150° External Angle	OGA5W	OGA5C	OGA5BR	-	OGA5BL
 Left Handed External Stopend	OGE1W	OGE1C	OGE1BR	OGE1AG	OGE1BL

 Right Handed External Stopend	OGE2W	OGE2C	OGE2BR	OGE2AG	OGE2BL
 Fascia Bracket	OGK1W	OGK1C	OGK1BR	OGK1AG	OGK1BL
 Top Hung Bracket	OGK2W	OGK2C	OGK2BR	-	OGK2BL
 Running Outlet	OGO1W	OGO1C	OGO1BR	OGO1AG	OGO1BL
 Right Handed Stopend Outlet	OGO2W	OGO2C	OGO2BR	-	OGO2BL
 Left Handed Stopend Outlet	OGO3W	OGO3C	OGO3BR	-	OGO3BL
 Union Bracket	OGU1W	OGU1C	OGU1BR	OGU1AG	OGU1BL

Deepflow Gutters



KM 508760



Height	Width	Flow Rate	Area Drained	Downpipe
71mm	114mm	1.8 l/s	86m ²	Round

			
White - W	Brown - BR	Anthracite Grey - AG	Black - BK

	Deepflow Gutter 4m	KDG4W	KDG4BR	KDG4AG	KDG4BL
	90° Angle	KDA1W	KDA1BR	KDA1AG	KDA1BL
	135° Angle	KDA2W	KDA2BR	KDA2AG	KDA2BL
	External Stopend	KDE1W	KDE1BR	KDE1AG	KDE1BL

			
White - W	Brown - BR	Anthracite Grey - AG	Black - BK

	Internal Stopend	KDE2W	KDE2BR	KDE2AG	KDE2BL
	Fascia Bracket	KDK1W	KDK1BR	KDK1AG	KDK1BL
	Running Outlet	KDO1W	KDO1BR	KDO1AG	KDO1BL
	Union Bracket	KDU1W	KDU1BR	KDU1AG	KDU1BL



Round Downpipes



	 White - W	 Brown - BR	 Grey - GY	 Anthracite Grey - AG	 Black - BK
 Round Downpipe 2.5m	KFP25W	KFP25BR	KFP25GY	KFP25AG	KFP25BL
 Round Downpipe 4m	KFP4W	KFP4BR	-	KFP4AG	KFP4BL
 Round Downpipe 5.5m	KFP55W	KFP55BR	KFP55GY	KFP55AG	KFP55BL
 92.5° Offset Bend	KFB1W	KFB1BR	KFB1GY	KFB1AG	KFB1BL
 112.5° Offset Bend	KFB2W	KFB2BR	KFB2GY	KFB2AG	KFB2BL
 Shoe	KFB3W	KFB3BR	KFB3GY	KFB3AG	KFB3BL
 Pipe Clip	KFC1W	KFC1BR	KFC1GY	KFC1AG	KFC1BL
 Concealed Fixing Pipe Clip	OGC3W	OGC3BR	-	-	OGC3BL
 Square / Round Hopper	KFHS1W	KFHS1BR	KFHS1GY	KFHS1AG	KFHS1BL
 Pipe Socket	KFS1W	KFS1BR	KFS1GY	KFS1AG	KFS1BL
 112.5° Offset Branch	KFY1W	KFY1BR	KFY1GY	KFY1AG	KFY1BL
 Square / Round Downpipe Adaptor	KFDS2W	KFDS2BR	-	-	KFDS2BL
 Round Access Pipe	KFAPW	KFAPBR	-	-	KFAPBL



KM 508760

Square Downpipes



KM 508760

	White - W	Caramel - C	Brown - BR	Anthracite Grey - AG	Black - BK
 Square Downpipe 2.5m	KFPS25W	KFPS25C	KFPS25BR	KFPS25AG	KFPS25BL
 Square Downpipe 4m	KFPS4W	-	KFPS4BR	KFPS4AG	KFPS4BL
 Square Downpipe 5.5m	KFPS55W	KFPS55C	KFPS55BR	KFPS55AG	KFPS55BL
 92.5° Offset Bend	KFBS1W	KFBS1C	KFBS1BR	KFBS1AG	KFBS1BL
 112.5° Offset Bend	KFBS2W	KFBS2C	KFBS2BR	KFBS2AG	KFBS2BL
 Shoe	KFBS3W	KFBS3C	KFBS3BR	KFBS3AG	KFBS3BL
 Pipe Clip	KFCS1W	KFCS1C	KFCS1BR	KFCS1AG	KFCS1BL
 Concealed Fixing Pipe Clip	KFCS2W	KFCS2C	KFCS2BR	KFCS2AG	KFCS2BL
 Square / Round Hopper	KFHS1W	KFHS1C	KFHS1BR	KFHS1AG	KFHS1BL
 Pipe Socket	KFSS1W	KFSS1C	KFSS1BR	KFSS1AG	KFSS1BL
 112.5° Offset Branch	KFYS1W	KFYS1C	KFYS1BR	KFYS1AG	KFYS1BL
 Square / Round Downpipe Adaptor	KFDS2W	KFDS2C	KFDS2BR	-	KFDS2BL
 Square Access Pipe	KFSAPW	-	KFSAPBR	-	KFSAPBL


UPVC Gutters - Kayflow

SuperDeep 170

Height	Width	Flow Rate	Area Drained	Downpipe
108mm	170mm	4.3 l/s	205m ²	110mm Soil



KM 508760



	
Grey - GY	Black - BK

	
Grey - GY	Black - BK

	SuperDeep Gutter 4m	KCG4GY	KCG4BL		110mm Pipe (Single Socket)	S1GY	S1BL
	90° External Angle	KCA1GY	KCA1BL		Pipe Clip	S22GY	S22BL
	90° Internal Angle	KCA2GY	KCA2BL		45° Bend (Double Socket)	S4GY	S4BL
	External Stopend	KCE1GY	KCE1BL		45° Bend (Single Socket)	S8GY	S8BL
	Internal Stopend	KCE2GY	KCE2BL		45° Branch (Double Socket)	S15GY	S15BL
	Fascia Bracket	KCK1GY	KCK1BL		45° Branch (Triple Socket)	S13GY	S13BL
	Running Outlet	KCO1GY	KCO1BL		Coupler	S16GY	S16BL
	Union Bracket	KCU1GY	KCU1BL		Super Deep Hopper	KCH1GY	KCH1BL
					Shoe	S26GY	S26BL

Gutter Adaptors / Accessories


	 White - W	 Brown - BR	 Black - BK		 White - W	 Brown - BR	 Black - BK
 Round / Square	KFDS3W	KFDS3BR	KFDS3BL	 Ogee / Square	OGS1W	OGS1BR	OGS1BL
 Round / Deep	KFD9W	KFD9BR	KFD9BL	 Square / Ogee	OGS2W	OGS2BR	OGS2BL
 Square / Deep	KFD10W	KFD10BR	KFD10BL	 Ogee / Deep	OGD1W	OGD1BR	OGD1BL
 Ogee / Round	OGR1W	OGR1BR	OGR1BL	 Deep / Ogee	OGD2W	OGD2BR	OGD2BL
 Round / Ogee	OGR2W	OGR2BR	OGR2BL				
	KFRB Rise & Fall Bracket Half Round				KFRBS Rise & Fall Bracket Square		
	KFRBU Rise & Fall Bracket Universal				KFSRB Side Rafter Bracket		
	KFTRB Top Rafter Bracket						
	KFRD1 (W/BL) Rainwater Diverter & Leaf Trap Available in White & Black				GUTTERGUARD-TWISTER Gutter Brush		
	DRAINGUARD Drain Guard				RWOB1 Balloon Guard		



Cast Iron Effect UPVC Gutters - Kayflow


Half Round Gutters

Height	Width	Flow Rate	Area Drained	Downpipe
50mm	112mm	0.9 l/s	43m ²	Round



Ogee Gutters

Height	Width	Flow Rate	Area Drained	Downpipe
70mm	120mm	2.2 l/s	105m ²	Round / Square




	Ogee Gutter 4m	OGG4CB		Fascia Bracket	OGK1CB
	90° Internal Angle	OGA1CB		Union Bracket	OGU1CB
	135° Internal Angle	OGA3CB		Square Downpipe 2.5m	KFPS25CB
	90° External Angle	OGA2CB		92.5° Offset Bend	KFBS1CB
	135° External Angle	OGA4CB		112.5° Offset Bend	KFBS2CB
	External Stopend Right Hand	OGE1CB		Shoe With Lugs	KFBS5CB
	External Stopend Left Hand	OGE2CB		Pipe Clip With Lugs	KFCS4CB
	Running Outlet	OGO1CB		Square / Round Hopper	KFHS2CB
	Right Handed Stopend Outlet	OG02CB		Pipe Socket	KFSS2CB
	Left Handed Stopend Outlet	OG03CB		112.5° Offset Branch	KFYS1CB



Cast Iron Effect UPVC Gutters - Kayflow

Deepflow Gutters

Height	Width	Flow Rate	Area Drained	Downpipe
71mm	114mm	1.8 l/s	86m ²	Round



	Deepflow Gutter 4m	KDG4CB
	90° Angle	KDA1CB
	135° Angle	KDA2CB
	External Stopend	KDE1CB
	Internal Stopend	KDE2CB
	Fascia Bracket	KDK1CB
	Running Outlet	KDO1CB
	Union Bracket	KDU1CB

	Round Downpipe 2.5m	KFP25CB
	92.5° Offset Bend	KFB1CB
	112.5° Offset Bend	KFB2CB
	Shoe With Lugs	KFB4CB
	Pipe Clip With Lugs	KFC2CB
	Hopper With Lugs	KFHS2CB
	Pipe Socket With Lugs	KFS2CB
	112.5° Offset Branch	KFY1CB



Alutec Aluminium Guttering

Alutec's durable marine-grade aluminium gutter systems boast a functional lifespan of over 50 years and come in a diverse range of aesthetics to complement any property style. With 19 standard colours featuring an architectural-grade polyester powder coat finish, including the textured Heritage Black resembling traditional cast iron, Alutec offers both longevity and timeless design with minimal maintenance.



Ask in branch for more details and a brochure



Soil & Underground Drainage - Kayflow



Kayflow offers a range of soil and underground systems providing a comprehensive solution for managing drainage and wastewater in residential and commercial settings.

Includes:

110mm Soil System

110mm and 160mm Underground Systems

320mm and 450mm Inspection Chambers

110mm Soil System

You can count on a robust, complete solution when using Kayflow's soil system.

- Comprehensive range of profiles and fittings in black, grey and white
- High gloss uPVC for low maintenance
- Lightweight, durable and easy to install
- Compatible with most other UK systems
- Tested to BS EN 1329-1: 2014



KM 664034

Soil Pipe 3m (Single Socket)

			
	White - W	Grey - GY	Black - BK
	S1W	S1GY	S1BL

			
	White - W	Grey - GY	Black - BK
 Soil Coupler	S16W	S16GY	S16BL
 Soil Slip/Repair Coupler	-	S17GY	S17BL

			
	White - W	Grey - GY	Black - BK
 Soil 15° Bend (Single Socket)	S10W	S10GY	S10BL
 Soil 15° Bend (Double Socket)	S6W	S6GY	S6BL

			
	White - W	Grey - GY	Black - BK
 Soil 30° Bend (Single Socket)	S9W	S9GY	S9BL
 Soil 30° Bend (Double Socket)	S5W	S5GY	S5BL
 Soil 45° Bend (Single Socket)	S8W	S8GY	S8BL
 Soil 45° Bend (Double Socket)	S4W	S4GY	S4BL
 Soil 90° Bend (Single Socket)	S7W	S7GY	S7BL
 Soil 90° Bend (Double Socket)	S3W	S3GY	S3BL
 Soil 90° Short Access Bend (Single Socket)	S11W	S11GY	S11BL
 Soil 45° Branch (Double Socket)	S15W	S15GY	S15BL
 Soil 90° Branch (Double Socket)	S14W	S14GY	S14BL
 Soil 90° Branch (Triple Socket)	S12W	S12GY	S12BL

			
	White - W	Grey - GY	Black - BK
 Soil Access Junction (Double Socket)	S18W	S18GY	S18BL
 Soil Straight Access Pipe (Single Socket)	S25W	S25GY	S25BL
 Soil Air Admittance Valve	S24W	S24GY	S24BL
 Soil Cowl	S21W	S21GY	S21BL
 Soil 50mm Strap Boss	S50W	S50GY	S50BL
 Soil Pipe Clip	S22W	S22GY	S22BL
 Soil 40mm Adaptor	-	-	S40BL
 Soil End Plug Cap	-	S20GY	S20BL
 Soil 32mm Adaptor	-	-	S32BL

The perfect partner for your installations, making the job easier and faster. Saving you time and money.

Universal Pipe Lubricant



1kg 2.5kg

UPL1 UPL25



110mm Underground Drainage - Kayflow


You can be assured of a high quality drainage system when using Kayflow.

- Lightweight, easy to install.
- Impact resistant and durable.
- Tested to BS EN 1401-1: 2009

110mm Underground Plain End Pipe



110mm Underground Single Socket Pipe



	Code		Code
 UG Coupler (Double Socket)	UG10	 UG 90° Bend (Single Socket)	UG22
 UG Slip Coupler (Double Socket)	UG12	 UG 90° Bend (Double Socket)	UG14
 UG Socket Plug	UG111	 UG 90° Swept Bend (Single Socket)	UG29
 UG 15° Bend (Single Socket)	UG28	 UG 90° Swept Bend (Double Socket)	UG21
 UG 15° Bend (Double Socket)	UG20	 UG Rest Bend (Single Socket)	UG45
 UG 30° Bend (Single Socket)	UG26	 UG Rest Bend (Double Socket)	UG46
 UG 30° Bend (Double Socket)	UG18	 UG 45° Long Radius Bend	UG15
 UG 45° Bend (Single Socket)	UG24	 UG 90° Long Radius Bend	UG13
 UG 45° Bend (Double Socket)	UG16	 UG Adjustable Bend (Double Socket)	UG23

	Code
 UG 45° Junction (Double Socket)	UG47
 UG 45° Junction (Triple Socket)	UG38
 UG 90° Junction (Double Socket)	UG44
 UG 90° Junction (Triple Socket)	UG39
 UG P Trap	UG100
 UG Standard Bottle Gully	UG101
 UG Bottle Gully (Rear Inlet)	UG102
 UG Bottle Gully Grid Only (Rear Inlet)	UG106
 UG Gully Raising Piece	UG1006
 UG Short Hopper Head	UG107

	Code
 UG Square Hopper	UG103
 UG Rectangular Hopper	UG104
 UG Rectangular Hopper (Grid Only)	UG105
 UG Rodding Eye	UG1012
 UG Round to Square Grid Adaptor	UG1008
 UG Rainwater Adaptor	UG1015
 UG Level Invert Reducer	UG115
 UG 110mm Straight Rubber Coupler	UG1011
 UG Plastic to Clay Adaptor	UG1009

The perfect partner for your installations, making the job easier and faster. Saving you time and money.

Universal Pipe Lubricant



1kg

2.5kg

UPL1

UPL25



KM 655203

160mm Underground Drainage - Kayflow


You can be assured of a high quality drainage system when using Kayflow.

- Lightweight, easy to install.
- Impact resistant and durable.
- Tested to BS EN 1401-1: 2009

UG Plain End Pipe 3m



UG Pipe 3m (Single Socket)



	Code
 UG Coupler (Double Socket)	UG10160
 UG Socket Plug	UG111160
 UG 15° Bend (Single Socket)	UG28160
 UG 15° Bend (Double Socket)	UG20160
 UG 30° Bend (Single Socket)	UG26160
 UG 30° Bend (Double Socket)	UG18160
 UG 45° Bend (Single Socket)	UG24160

	Code
 UG 45° Bend (Double Socket)	UG16160
 UG 90° Bend (Single Socket)	UG22160
 UG 45° Junction (Double Socket)	UG47160
 UG 45° Junction (Triple Socket)	UG38160
 UG 45° Junction 160mm x 110mm (Double Socket)	UG49160
 UG 90° Junction (Double Socket)	UG44160
 UG 90° Junction 160mm x 110mm (Double Socket)	UG48160

The perfect partner for your installations, making the job easier and faster. Saving you time and money.

Universal Pipe Lubricant



1kg 2.5kg

UPL1 UPL25



KM 655203

Inspection Chambers

320mm Inspection Chambers



450mm Inspection Chambers



KM 655203

	Code
 UG 320 Square Lid Adaptor	UG1013
 UG 320 Round Manhole Cover and Frame (15kN)	UG1000
 UG 320 Square Manhole Cover and Frame (35kN)	UG2000
 UG 320 Raising Piece	UG1002
 UG Riser Seals for 320 Base	UG108
 UG 320 Manhole Base	UG1004

	Code
 UG 450 Round Manhole Cover and Frame (15kN)	UG1001
 UG 450 Square Manhole Cover and Frame (35kN)	UG2001
 UG 450 Raising Piece	UG1003
 UG Riser Seals for 450 Base	UG1007
 UG 450 Manhole Base	UG1005
 UG 450 Manhole Base (160 Outlet)	UG1014

The perfect partner for your installations, making the job easier and faster. Saving you time and money.

Universal Pipe Lubricant



1kg

2.5kg

UPL1

UPL25

Note:

It is recommended that riser seals are used when installing the raising pieces. Please ensure all joints are well lubricated when installing.



Channel Drainage

StormDrain Drainage



This range of channel drainage solutions efficiently removes excess water around your home. These easy-to-install systems feature:

- Heelguard grates as standard
- Load tested to a rating of A15
- Material is recyclable
- Standard heelgrates
- Includes sump unit and quad connector
- Refined male to female connections
- Up to 4.5l/s flow capacity

	Code
 Channel with Black Plastic Grate	STDP-1000-BK
 Channel with Galvanised Grate	STDP-1000-GALV
 Quad Connector in Black Plastic	STDPQC
 Quad Connector with Galvanised Grate	STDPQC-GALV
 Secure End Cap	STDPEC

	Code
 End Outlet 110mm	STDPEO/110
 Sump Unit with Silt Basket and Water Trap with Black Plastic Grate	STDPSUMP
 Sump Unit with Silt Basket and Water Trap with Galvanised Grate	STDPSUMPGG
 Joining Clip for the Secure Connection of Two Cut Channels	STDPCDC



Roofing Products

EPDM - Rubber Roofing

ClassicBond - EPDM	58
EPDM Ancillaries	59
SureEdge Trims	60

GRP - Liquid Roofing

GRPROOF	62
FLEXITEC	63
RESTRIMS	64
Accessories & Tools	65
ACRYLTEX - Roof Repair	66
RESGRIP - Anti Slip System	66
RESCOAT - Aesthetic Coating	66

Dry Roofing

Continuous Dry Verge	68
SmartVerge Dry Verge	69
Universal Dry Verge	70
Dry Ridge	70
Roofing Membranes	70
Dry Roofing Fixing Products	71
Tile & Slate Vents	71

Polycarbonate

Polycarbonate Sheets	72
Self Supported Glazing Bars	73
Rafter Supported Glazing Bars	74
Tapes	75

Guardian Slates

Guardian Slates	76
-----------------	----

Please note that colours shown in this product guide are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.

ClassicBond - EPDM Rubber Roofing



Manufactured by the industry-leading EPDM manufacturer ClassicBond, their roof system offers long-lasting waterproofing protection. Crafted from top-tier synthetic rubber, ClassicBond is the epitome of durability in roofing.

Versatile Design: ClassicBond adapts effortlessly to various roof styles, including flat and pitched roofs.

Effortless Installation: The user-friendly system is **BBA & CE approved** and holds the highest European fire ratings. It is supported by an up to **20-year** membrane manufacturer's warranty accessible to trained installers (registration with manufacturer required).

	EPDM Single Membrane 1.2mm	Width 3.05m	Width 4.57m	Width 6.10m	Width 7.625m	Width 9.15m
	Code: EPDM-MEMBRANE	-3	-4	-6	-7	-9
	HP-250 Primer	0.5 Litre		1 Litre		
	Coverage at 100mm	16.5 l/m		33 l/m		
	Code: EPDM-PRIMER	0.5		1		
	Deck Adhesive	2.5 Litre		5 Litre		15 Litre
	Coverage	7.5-10m ²		15-20m ²		40-60m ²
	Code: EPDM-ADHESIVE-WBA	2		5		15
	Contact Adhesive	2.5 Litre		5 Litre		
	Coverage	4-5m ²		8-10m ²		
	Code: EPDM-ADHESIVE-CONTACT	2		5		



Hand Held Spray Contact Adhesive
500ml

Code: EPDM-ADHESIVE-CONTACT-
HAND



Lap Sealant

Coverage: 6 l/m


Code: EPDM-LAPSEALANT



Water Cut Off Mastic

Coverage: 3 l/m

Code: EPDM-MASTIC



EPDM-FLASHING-TAPE3

Pressure Sensitive Seam Tape
75mm x 30.5m



EPDM-FLASHING-TAPE6

Pressure Sensitive Overlayment Strip
150mm x 30.5m (Can be cut to size by the metre)



EPDM-FLASHING-TAPE9

Pressure Sensitive Elastoform Tape (Uncured)
225mm x 30.5m (Can be cut to size by the metre)



EPDM-FLASHING-TAPERUSS6

Pressure Sensitive RUSS Strip Tape
150mm x 30.5m (Can be cut to size by the metre)



EPDM-SEAMPLATE50

Seam Fixing Plate 50mm used to securely clamp the
RUSS to the vertical or horizontal surface.



HP Fasteners to be
used with Insulation
Plates & RUSS Strip
Box 100

	150mm	175mm
Code: EPDM-FIX-HP	150	175



Pressure Sensitive Pipe Seals

Code: EPDM-FLASHING-PIPE

12.5mm-75mm

25mm-150mm

-SMALL

-LARGE

**Full installation
guide is available on
request or online at
eweplastics.co.uk**

Scan for installation guide



EPDM Outlets

				
EPDM-OUTLET-ANGLED Angled Roof Drain- Horizontal Drains Through Upstands	EPDM-OUTLET-ANGLEDLEAF Leaf Grate for Angled Drain	EPDM-OUTLET-ANTIBACKUP Anti Backup Drain for 68mm	EPDM-OUTLET-ANTIBACKUPLEAF Leaf Grate for Anti Backup Outlet	EPDM-OUTLET-TOPDRAIN Top Drain for 110mm Downpipe with Leaf Grate

Metal Trims & Termination Bars

				
EPDM-EDGETRIM100 Edge Trim 40 x 3 x100mm Black Plastisol Steel	EPDM-EDGETRIM75 75mm Edge Trim Plastisol Steel	EPDM-WALLTRIM100 Wall Trim 25 x 100mm Black Plastisol Steel	EPDM-TERMINATION Termination Bar 3.05m	EPDM-FIX-RB45 RB Perimeter Fasteners (100 box)

SureEdge Trims

			
EPDM-DRIPTRIMQUICK Gutter Drip Trim Black PVC 2 Parts	EPDM-DRIPTRIMQUICK-EXCORNER Gutter Drip Trim External Corner	EPDM-DRIPTRIMQUICK-INTCORNER Gutter Drip Trim Internal Corner	EPDM-BATTENDRIP Gutter Trim with Built in Batten
			
EPDM-EDGETRIMQUICK Kerb Edge Trim	EPDM-EDGETRIMQUICK-EXCORNER Kerb Trim Edge External Corner	EPDM-EDGETRIMQUICK-INTCORNER Kerb Edge Trim Internal Corner	

ClassicBond® EPDM Contractor Training

ClassicBond EPDM Training: Unleash Your Roofing Potential!

Elevate your skills and expertise through this comprehensive one day manufacturer's course, allowing you to become certified in installing ClassicBond EPDM and offer your customers an up to 20-Year Membrane warranty.

Why Attend?

- Technical details on how the system works.
- Information on the specific products needed and how to use them.
- Over 6 hours of hands-on training, working with the products and getting support from experienced ClassicBond technicians on how to correctly install an EPDM roof including:
 - The main flat roof area, detailing work, corners, abutments, roof protrusions and rainwater outlet
 - Detailing in and around roof lights
 - Detailing roof trim systems



Register your interest in branch to find out about our next training day.

GRPROOF Sustainable High-Performance GRP



GRPROOF is the ultimate flat roof system, developed by RESTEC's leading chemists, providing seamless and long-lasting waterproofing protection for flat roofs. Made with high-quality fibreglass, making it one of the most durable roofing options available to date.

Its versatile design means it can be easily installed across a variety of roof styles, including flat and pitched roofs.

The easy to install system is **LABC approved** for compliance with building regulations, **fully fire tested** and supported by a manufacturer's **20-year** materials guarantee (registration with manufacturer required).

	GRPROOF Base Resin	10kg	20kg
	Approx coverage	8m ²	16m ²
	Code: GRP-BASE	-10	-20

	GRPROOF Catalyst	1kg	5kg
	Code: GRP-CAT	-1KG	-5KG

	RESTEC Matting 600g/m ² CSM Balcony / high traffic areas	Small	Medium	Large
	coverage	14.42m ²	28.8m ²	58m ²
	Code: GRP-MATT-600-LARGE	-SMALL	-MED	-LARGE

	Taping Matting 18lm	GRP-TAPMAT-SMALL
--	---------------------	------------------

	Anti Slip Grit	GRP-GRIT
--	----------------	----------

	GRP Glass Tissue 25m	GRP-TISSUE-25
--	----------------------	---------------

	GRPROOF 10M ² Roof Kit	Code: GRP-1010-KIT		
	Materials for waterproofing a roof up to 10m ²			
	• GRPROOF Base Resin (1.4kg) • GRPROOF Top Coat (7kg)	• RESTEC Liquid Catalyst (1kg) • RESTEC 450g/m² CSM (1.1m²)	• RESTEC Taping Mat • Finishing Tissue • Application Manual	

	GRPROOF Top Coat	10kg	20kg
	Approx coverage	15m ²	30m ²
	Code: GRP-TOP	-10	-20

	Acetone	1L	5L
	Code: GRP-ACETONE	-1LTR	-5LTR

	RESTEC Matting 450/m ² CSM	Small	Medium	Large
	coverage	14.42m ²	28.8m ²	77m ²
	Code: GRP-MATT-LARGE	-SMALL	-MED	-LARGE

	Catalyst Dispenser 80ml	GRP-CATDISP-LARGE
---	-------------------------	-------------------

	Base Coat Winter Accelerator	GRP-ACCELERATOR
---	------------------------------	-----------------

	Top Coat Winter Accelerator	GRP-ACCELERATOR-TOP
---	-----------------------------	---------------------

Full installation guide is available on request or online at eweplastics.co.uk

Scan for installation guide



FLEXITEC Multi-surface GRP Roofing System



FLEXITEC is a revolutionary, single-resin GRP system that's been transforming the liquid roofing industry. This cutting-edge, single resin system has quickly become the go-to choice for roofing professionals thanks to its full overlay and new deck capabilities. No other flat roof system is as highly versatile as it can coat many different surfaces to create a seamless, tough and flexible membrane for any roof or balcony.

Its rapid installation process offers a cure time of 30-60 minutes per coat, and it can achieve **BROOF(t4) Fire Rating**. It's also **LABC Registered detail** for assured compliance with building regulations. A **manufacturer's 20-year materials guarantee** is accessible to **trained installers** (Roof installation registration with manufacturer required).

	FLEXITEC Resin Dark Grey	10kg	20kg
	Approx coverage	3.7-5.3m ²	7.4-10.6m ²
	Code: GRP-FLEXI-RESIN	-10	-20

	FLEXITEC Primer	5kg	
	Approx coverage	17-26m ²	
	Code:	GRP-FLEXI-PRIMER	

	RESTEC Matting 225g/m²	Small	Medium	Large
	coverage	14.42m ²	28.8m ²	111m ²
	Code: GRP-FLEXI-MATT	-SMALL	-MED	-LARGE

	Powder Hardener	GRP-FLEXI-CAT-1KG
---	------------------------	-------------------

	Taping Matting 18LM	GRP-TAPMAT
---	----------------------------	------------

	FLEXITEC Resin Summer Inhibitor 105g	GRP-FLEXI-INHIBITOR
---	---	---------------------

	FLEXITEC 10m² Roof Kit	Code: GRP-FLEXITEC-KIT		
	Materials & tools for a roof up to 10m ²			
	• FLEXITEC Resin Dark Grey (20kg) • FLEXITEC Primer (2.5kg) • FLEXITEC Powder Hardener (1kg) • RESTEC 225g/m² CSM (12m²) • Roller and sleeves • Paint Brushes • Mixing Buckets			

	Metal Detailing Primer 250ml	250ml
	Approx coverage	30m ²
	Code: GRP-FLEXI-METAL	GRP-FLEXI-METAL

	SP Primer for PVC, TPO, EPDM	1L
	Approx coverage	12-15m ²
	Code:	GRP-FLEXI-SP-PRIMER

	Acetone	1L	5L
		-1LTR	-5LTR
	Code: GRP-ACETONE		

	FLEXITEC Resin Winter Accelerator 300g	GRP-FLEXI-ACCEL
---	---	-----------------

	FLEXITEC Primer Winter Accelerator 400g	GRP-FLEXI-PRIMER-ACCEL
---	--	------------------------

Full installation guide is available on request or online at eweplastics.co.uk

Scan for installation guide





RESTRIMS

				
GRP-TRIM-CORNER Universal External Corner	GRP-TRIM-DRIP Drip Trim - 3m Options: 65mm (-65) 85mm (-90)	GRP-TRIM-UPSTAND Upstand Trim - 3m Options: 100mm (-105) 120mm (-125)	GRP-TRIM-FILLET Wall Fillet 150 x 120 x 3m	GRP-TRIM-LONG-FILLET Long Wall Fillet 220 x 120 x 3m
				
GRP-TRIM-FLASHING Cover Flashing Trim 100mm x 3m	GRP-TRIM-EXPANSION-275 Expansion Trim 275mm x 3m	GRP-TRIM-FLAT-300-3M Flat Trim 300mm x 3m	GRP-TRIM-EXT External Angle Trim - 3m Options: 70 x 105mm (-SHORT) 75 x 200mm (-LONG)	GRP-TRIM-INT Internal Angle Trim - 3m Options: 70 x 105mm (-SHORT) 70 x 150mm (-LONG)
				
GRP-TRIM-LEADROLL Lead Roll Trim 3m	GRP-OUTLET Through Wall Parapet Outlet Options: 100 x 100mm (-100) 150 x 150mm (-150)	GRP-OUTLET-FLAT Flat Roof Outlet	GRP-COLLAR Pipe Collar	

Accessories and Tools



GRP-THERMOMETER

Infrared Thermometer



GRP-MIXING-BUCKET

RESTEC Mixing Bucket 10L



BUCKET

Mixing Bucket 12L



GRP-TUB-2L

2 Litre White Tub
(for making small mixes)



GRP-ROLLER-SCUTTLE

Roller Scuttle Bucket



GRP-ROLLFRAME

Roller Frame

Options:

100mm (-100)

175mm (-175)

225mm (-225)



GRP-SLEEVE

Medium Pile Roller Sleeve

Options:

100mm (-100)

175mm (-175)

225mm (-225)



GRP-PADDLE

Paddle Roller

Options:

75mm (-75)

100mm (-100)



GRP-ROLLERHANDLE

1.2m Stave



GRP-POLE

1.2-2.4m Extendable Pole



GRP-SQUEEGEE

350mm Rubber Squeegee
(uses 1.2-2.4m Extendable Pole)



PAINTBRUSH

Paint brush

Options:

25mm (25)

50mm (50)



GRP-GRIT

Anti Slip Grit
(to be mixed in with Top Coat)



GRP-SLATE

RESTEC GRP Mineral Slate
15Kg

Options:

Blue (BLUE)

Green (GREEN)

Roof repair

ACRYLTEX



ACRYLTEX offers fast, effective repairs to roofs and gutters. This advanced, fibre-reinforced acrylic provides instant waterproofing in just one coat, straight from the tin – no mixing required, making it an essential for every builder and roofer's toolkit.

- **Instant Waterproofing:** Seals leaks and damage immediately.
- **Single-Coat Application:** Fast and easy repairs.
- **Ready to Use:** No mixing or catalysing needed.
- **Fibre-Reinforced:** Extra strength and gap-filling capability.
- **Versatile:** Ideal for flat roofs, pitched roofs, gutters and more.
- **Weather Resistant:** Rainfall has no adverse effect after application.


Roof Coatings

RESGRIP



RESGRIP provides durable, vibrant and slip-resistant finishes in a single coat. This hybrid MMA coating is ideal for various trafficked areas, features pre-dispersed aggregate for fast, easy application and a consistent, slip-resistant finish.

- **Quick & Easy:** Single-coat application with pre-dispersed aggregate.
- **Rapid Cure:** Catalyst-controlled cure time of typically 30-40 minutes.
- **Enhanced Safety:** Provides excellent slip resistance for various applications.
- **Durable & Long-Lasting:** Tough formulation for extended service life.
- **Vibrant Finish:** Highly resistant to discoloration.




ANTHRACITEGREY
RAL - 7016



DAFFODILYELLOW
RAL - 1007



SKYBLUE
RAL - 5015



TRAFFICBLACK
RAL - 9017



TRAFFICRED
RAL - 3020



TRAFFICWHITE
RAL - 9016



WINDOWGREY
RAL - 7040



YELLOWGREEN
RAL - 6018

RESCOAT



Restore the vibrant colour and look of your aged flat roof with **RESCOAT**. This single-coat hybrid MMA liquid coating requires no reinforcement, making it a fast and easy solution.

- **Quick & Easy:** Single-coat application with roller and squeegee.
- **Rapid Cure:** Catalyst-controlled cure time of just 15-45 minutes.
- **Durable Finish:** Highly resistant to UV fading and environmental wear.
- **Versatile:** Suitable for various substrates (concrete, asphalt, GRP, timber, and more).

GRPROOF



FLEXITEC

RESTEC's Contractor Training

GRPROOF system - Join the fastest growing flat roofing sector!

This training on the GRPROOF system is crucial for professionals seeking to master a durable and versatile solution for waterproofing flat roofs and balconies.

Why Attend?

- Hands-on training lead by RESTEC's specialists
- Learn the benefits, best practice installation and application techniques
- Become a RESTEC GRPROOF trained installer
- Certified course offering you a 20-year manufacturer's product guarantee.

FLEXITEC system - Discover the full capability of this overlay system

This training ensures proficiency in delivering rapid and seamless installations, achieving a high level of flexibility, toughness, and fire resistance, all backed by a 20-year materials guarantee.

Why Attend?

- Hands-on training lead by RESTEC's specialists
- Learn the benefits, best practice installation and application techniques of this versatile product
- Become a RESTEC's FLEXITEC trained installer
- Certified course offering you a 20-year manufacturer's product guarantee.

Register your interest in branch to find out about our next training day.
Please specify which system you are interested in.



Continuous Dry Verge

S Type - Slate



Code				
	White	Anthracite Grey	Brown	Black

Continuous Dry Verge S Type 5m	VERGE-S-5-	WH	AG	BR	BK
Ridge End Cap Angled	VERGE-S-RIDGE-	WH	AG	BR	BK
Verge Connector	VERGE-S-CON-	WH	AG	BR	BK

R Type - Tile Standard



Code				
	White	Anthracite Grey	Brown	Black

Continuous Dry Verge R Type 5m	VERGE-R-5-	WH	AG	BR	BK
Ridge End Cap Angled	VERGE-R-RIDGE-	WH	AG	BR	BK
Verge Connector	VERGE-R-CON-	WH	AG	BR	BK
Eaves Closure	VERGE-R-EAVES-	WH	AG	BR	BK

D Type - Tile Deep Profile



Code				
	White	Anthracite Grey	Brown	Black

Continuous Dry Verge D Type 5m	VERGE-D-5-	WH	AG	BR	BK
Ridge End Cap Angled	VERGE-D-RIDGE-	WH	AG	BR	BK
Verge Connector	VERGE-D-CON-	WH	AG	BR	BK
Eaves Closure	VERGE-D-EAVES-	WH	AG	BR	BK

M Type - Tile Thin Leading Edge



Code		
	White	Black

Continuous Dry Verge M Type 5m	VERGE-M-5-	WH	BK
Ridge End Cap Angled	VERGE-M-RIDGE-	WH	BK
Verge Connector	VERGE-M-CON-	WH	BK

SmartVerge Dry Verge - Handed



	Code	Brown	Grey	Black
Dry Verge Unit Right Hand	GDV-RH-	BR	GR	BK
Dry Verge Unit Left Hand	GDV-LH-	BR	GR	BK
Round Ridge Cap	GDV-END-R	BR	GR	BK
Angled Ridge Cap	GDV-END-A	BR	GR	BK
End Closure	GDV-EC	BR	GR	BK

SmartVerge Linear Dry Verge - Handed



	Code	Brown	Grey	Black
Right Handed Dry Verge Unit	GLV-RH-	BR	GR	BK
Left Handed Dry Verge Unit	GLV-LH-	BR	GR	BK
Round Ridge Cap	GPPV-END-R	BR	GR	BK
Angled Ridge Cap	GPPV-END-A	BR	GR	BK
End Closure	GLV-EE-	BR	GR	BK
Verge Union	GLV-VU-	BR	GR	BK
Fixing Clip	GLV-FC-	-	GR	BK



Dry Roofing

Universal Dry Verge



	Code	Brown	Grey	Black
Universal Dry Verge	DVU	BR	GR	BK
Starter Unit	DVUS	BR	GR	BK
Ridge Cap Round	DVRCR	BR	GR	BK
Ridge Cap Angled	DVRCA	BR	GR	BK

Dry Ridge



Universal Dry Ridge System

DRYRIDGE-EASYRIDGE

European Plastics' Universal Ventilated Dry Ridge System is a top-tier Dry Fix solution, offering ridge-level ventilation for any pitched roof.

One box can secure a 6-metre run of ridge or hip using a 450mm ridge tile.



DRYRIDGE-HIPTRAY

Dry ridge Hip Tray 1.2m



DRYRIDGE-HIPCLIP

DRY Ridge Hip Clips (Pack of 20)

Roofing Membranes

Discover high-performance roofing membranes, engineered to be vapour-permeable, water-resistant, and airtight.

These membranes facilitate the escape of vapour from the inside while effectively repelling rainwater from the outside. This dual functionality plays a crucial role in minimising condensation within the roof space.



MASTER-BREATHER-50

Master Breather Membrane 1m x 50m - 112gsm



MAXI-BREATHER-50

Maxi Breather Membrane 1m x 50m - 132gsm

Dry Roofing Fixing Products



DRYVALLEY-SOAKER

Abutment Soaker
3000mm x 140m



DRYVALLEY-SLATE

Dry Fix Valley
3m x 400mm x 70mm Slate



DRYVALLEY-TILE

Dry Fix Valley
3m x 400mm x 110mm Tile



DRYVALLEY-TOPCLOSURE-SLATE

Dry Fix Valley Top Closure
70mm Slate



DRYVALLEY-TOPCLOSURE-TILE

Dry Fix Valley Top Closure
110mm Tile



DRYGUTTER-SLATE

Dryfix Bonding Gutter
3m x 225mm x 70mm Slate



DRYGUTTER-TILE


Dryfix Bonding Gutter
3m x 225mm x 110mm Tile

Tile & Slate Vents



GTV-NP-

Non Profile Tile Vent Available in:
Brown (**BR**)
Grey (**GR**)



GTV-PT-

Plain Tile Vent Available in:
Grey (**GR**)
Antique Red (**AR**)



GILSV30-25

Inline Slate Vent 600 x 300



GRSV30-25

600 x 300 Slate Vent



GRSV45

Random Slate Vent 450mm



GTV-AD

Tile Vent Adaptor




GRPA

Flexible Pipe Adaptor 455mm




Multiwall Polycarbonate Sheets

Multiwall Polycarbonate Sheets



Our multiwall polycarbonate sheets are a versatile and durable solution for a variety of applications. Available in a range of thicknesses (4mm, 6mm, 10mm, 16mm, 25mm, 32mm and 35mm) and finishes (clear, bronze, opal, Heatguard & opal and bronze & opal), these sheets offer exceptional impact resistance and excellent insulation properties. We offer a cut-to-size service, with maximum dimensions of 2.1m width and 6m length, though for roofing, 1m maximum width is recommended. With Class 1 BS 476/7 fire resistance, they are ideal for both residential and commercial projects.

Code					
	Clear	Opal	Bronze	Heatguard-Opal	Bronze-Opal

Polycarbonate Twinwall 4mm	POLYCARB-4MM	-CL	-	-	-	-
Polycarbonate Twinwall 6mm	POLYCARB-6MM	-CL	-	-	-	-
Polycarbonate Twinwall 10mm	POLYCARB-10MM	-CL	-OP	-BR	-	-
Polycarbonate Triplewall 16mm	POLYCARB-16MM	-CL	-OP	-BR	-	-
Polycarbonate Multiwall 25mm	POLYCARB-25MM	-CL	-OP	-BR	-HG-OP	-2T
Polycarbonate Multiwall 32mm	POLYCARB-32MM	-CL	-OP	-BR	-HG-OP	-2T
Polycarbonate Multiwall 35mm	POLYCARB-35MM	-CL	-OP	-BR	-HG-OP	-2T


Fixing Buttons



Polycarbonate roof sheet fixing buttons are a simple way to secure polycarbonate sheets, preventing rattling and adding stability.

	Code	White	Brown
Fixing Button 10mm (10 Pack)	FB10	W	B
Fixing Button 16mm (10 Pack)	FB16	W	B
Fixing Button 25mm (10 Pack)	FB25	W	B
Fixing Button 32mm (10 Pack)	FB32	W	B

Self Supported Roof Glazing Bars



This self-supporting roof bar system is crafted from high-strength aluminium and is engineered to bear its own weight without the need for external supports like walls or pillars. Ideal for a wide variety of applications, including carports, canopies and traditional lean-to conservatory roofs, it's designed for longevity, weather resistance, and easy installation. The system can span up to 4m and is compatible with 16, 25, and 35mm multiwall polycarbonate sheet roofing.

Components: **Wall Plate, End Glazing Bar, Intermediate Bar** and **Eaves Beam**

Intermediate Bars - with End Caps



	Code	White	Brown
Intermediate Bar 2m	INTERBAR-2	-W	-BR
Intermediate Bar 2.5m	INTERBAR-2.5	-W	-BR
Intermediate Bar 3m	INTERBAR-3	-W	-BR
Intermediate Bar 3.5m	INTERBAR-3.5	-W	-BR
Intermediate Bar 4m	INTERBAR-4	-W	-BR
Intermediate Bar 6m	INTERBAR-6	-W	-BR

Edge Bars - with End Caps



	Code	White	Brown
Edge Bar 2.5m	EDGEBAR-2.5	-W	-BR
Edge Bar 3m	EDGEBAR-3	-W	-BR
Edge Bar 3.5m	EDGEBAR-3.5	-W	-BR
Edge Bar 4m	EDGEBAR-4	-W	-BR
Edge Bar 6m	EDGEBAR-6	-W	-BR

Eaves Beam



	Code	White	Brown
Standard Eaves Beam 4m	EAVESBEAM-4	-W	-BR
Standard Eaves Beam 6m	EAVESBEAM-6	-W	-BR

Wall Plate



	Code	White	Brown
Full Wallplate 3m	WALLPLATE-3	-W	-BR
Full Wallplate 4m	WALLPLATE-4	-W	-BR
Full Wallplate 6m	WALLPLATE-6	-W	-BR



Multiwall Polycarbonate Sheets

Rafter Supported Roof Glazing Bars

Rafter bars provide a simple and cost-effective way to install polycarbonate roofing sheets on timber rafters. They create a watertight seal and are compatible with various sheet thicknesses.

Snapdown Bars



For 10mm - 25mm

	Code	White	Brown
Snapdown Rafter Bar 2m	SNAPDBAR-10/25-2	-W	-BR
Snapdown Rafter Bar 2.5m	SNAPDBAR-10/25-2.5	-W	-BR
Snapdown Rafter Bar 3m	SNAPDBAR-10/25-3	-W	-BR
Snapdown Rafter Bar 4m	SNAPDBAR-10/25-4	-W	-BR
Snapdown Rafter Bar 5m	SNAPDBAR-10/25-5	-W	-BR
Snapdown Rafter Bar 6m	SNAPDBAR-10/25-6	-W	-BR
Snapdown Rafter Bar 7m	SNAPDBAR-10/25-7	-W	-BR



For 25mm - 35mm

	Code	White	Brown
Snapdown Rafter Bar 2.5m	SNAPDBAR-25/35-2.5	-W	-BR
Snapdown Rafter Bar 3m	SNAPDBAR-25/35-3	-W	-BR
Snapdown Rafter Bar 4m	SNAPDBAR-25/35-4	-W	-BR
Snapdown Rafter Bar 6m	SNAPDBAR-25/35-6	-W	-BR

End Closures



For 10mm - 16mm

	Code	White	Brown
End Closure 10mm - 2.1m	ENDCLOSURE10-2.1	-W	-BR
End Closure 10mm - 2.5m	ENDCLOSURE10-2.5	-W	-BR
End Closure 10mm - 5m	ENDCLOSURE10-5	-W	-BR
End Closure 16mm - 2.1m	ENDCLOSURE16-2.1	-W	-BR
End Closure 16mm - 2.5m	ENDCLOSURE16-2.5	-W	-BR
End Closure 16mm - 5m	ENDCLOSURE16-5	-W	-BR



For 25mm - 35mm

	Code	White	Brown
End Closure 25mm - 2.1m	ENDCLOSURE25-2.1	-W	-BR
End Closure 25mm - 2.5m	ENDCLOSURE25-2.5	-W	-BR
End Closure 25mm - 5m	ENDCLOSURE25-5	-W	-BR
End Closure 32/35mm - 2.1m	ENDCLOSURE32-2.1	-W	-BR
End Closure 32/35mm - 2.5m	ENDCLOSURE32-2.5	-W	-BR
End Closure 32/35mm - 5m	ENDCLOSURE32-5	-W	-BR

F-Section

For 10mm - 16mm



	Code	White	Brown
F Section 10mm - 3m	FSECT10-3	-W	-BR
F Section 10mm - 4m	FSECT10-4	-W	-BR
F Section 10mm - 5m	FSECT10-5	-W	-BR
F Section 10mm - 6m	FSECT10-6	-W	-BR
F Section 16mm - 3m	FSECT16-3	-W	-BR
F Section 16mm - 4m	FSECT16-4	-W	-BR
F Section 16mm - 5m	FSECT16-5	-W	-BR
F Section 16mm - 6m	FSECT16-6	-W	-BR

For 25mm - 35mm



	Code	White	Brown
F Section 25mm - 3m	FSECT25-3	-W	-BR
F Section 25mm - 4m	FSECT25-4	-W	-BR
F Section 25mm - 6m	FSECT25-6	-W	-BR
F Section 35mm - 3m	FSECT35-3	-W	-BR
F Section 35mm - 4m	FSECT35-4	-W	-BR
F Section 35mm - 6m	FSECT35-6	-W	-BR

Tapes

Ensure the longevity and performance of your polycarbonate roofing system with our range of essential sealing tapes. If you're cutting any of our sheets, these tapes ensure optimal performance and long-lasting durability.

Anti-Dust / Breather Tape:

Allows airflow to prevent condensation while sealing out dust and insects from the bottom of polycarbonate sheets



	Code
Breather Tape 25mm x 33m - 10mm	POLYCARB-TAPE-AD-25MM
Breather Tape 33mm x 33m for 16mm	POLYCARB-TAPE-AD-33MM
Breather Tape 43mm x 33m for 25mm	POLYCARB-TAPE-AD-43MM
Breather Tape 55mm x 33m for 35mm	POLYCARB-TAPE-AD-55MM

Aluminium Foil Sealing Tape:

Weather-resistant tape seals top edges of polycarbonate sheets. Blocks moisture and pests.



	Code
Sealing Tape 18mm x 33m for 4/6mm	POLYCARB-TAPE-FOIL-18MM
Sealing Tape 30mm x 33m for 10/16mm	POLYCARB-TAPE-FOIL-30MM
Sealing Tape 43mm x 33m for 25mm	POLYCARB-TAPE-FOIL-43MM
Sealing Tape 55mm x 33m for 32/35mm	POLYCARB-TAPE-FOIL-55MM

Guardian Slates



Guardian Slates are an innovative roofing system that provides the aesthetic appeal of natural slate without the risk of cracking and breaking.

Manufactured from resin-bonded crushed limestone, making them extremely durable, impact and heat-resistant and offer the highest level of UV protection. A great choice for those looking for a practical, long-lasting, and attractive roofing solution.

- High-quality
- Up to 60% lighter than traditional slate
- Quick and easy to install
- Fire Rated
- Superior life expectancy
- Ideal for new or replacement roofs



Colour: Grey
Dimensions: 295mm x 445mm
Weight: 0.675kg
Pitch: 14° to 90°

GUAR-SLATE-GR



Colour: Grey
Dimensions: 150mm x 445mm
Weight: 0.620kg
Maximum Pitch: 90°

GUAR-RIDGE-GR

The Perfect Finish for Guardian Slate Roofs: Slate Dry Verge

Eliminate mortar verge maintenance with the Slate Dry Verge. Mechanically fixed, these verges offer a clean, professional, maintenance-free solution for man-made slate roofs, providing superior weather protection and a neat finish.

- **Improved Design:** Enhanced aesthetics.
- **Self-Draining:** Prevents water damage.
- **Weatherproof & Maintenance-Free:** Long-lasting performance.
- **Fast & Easy Installation:** Quicker than traditional methods.



GUAR-SLATE-VERGE-BK



Internal Products

Zest & Plastivan Panels

ZX Wall Panels	78
Feature Wall +	79
1m Wall Panels	80
500mm Wall Panels	81
375mm Wall Panels	82
250mm Wall Panels	83
Ceiling Panels	84
Trims	85

Wetwall Panels

Mermaid Plywood Panels	86
Elite Wall Panels	88
Alloy Wall Panels	90
Tile Composite Panels	92
Worktops & Accessories	93

Clever Click Rigid

Clever Click Rigid Plank Effect	94
Clever Click Rigid Tile Effect	95

Hygienic Cladding

Hygienic Cladding	96
-------------------	----

Hardie® Backer

Hardie® Backer Board	97
----------------------	----

Please note that colours shown in this product guide are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.




ZX Wall Panels



ZX wall panels are 5mm solid constructed panels that are highly durable and impact resistant . The textured design and ultra-realistic look and touch add a warm, luxurious feel to any bathroom. The tongue and groove edge slots easily together, making installation a breeze. Ideal for commercial and residential use.


- 100% waterproof
- Two Interchangeable sizes
- Ultra-realistic design
- Impact resistant
- Textured panels
- Fast and easy to install
- Solid construction
- Low maintenance - easy to clean



Grey Concrete Tile | Matt
Size: 300 x 600 x 5mm
Pack Qty: 11
Code: DC74201



White Stone Tile | Matt
Size: 300 x 600 x 5mm
Pack Qty: 11
Code: DC01T01



Wise Stone Tile | Matt
Size: 300 x 600 x 5mm
Pack Qty: 11
Code: DC01T24



Boca Stone Tile | Matt
Size: 300 x 600 x 5mm
Pack Qty: 11
Code: DC01T22



Dune Grey Tile | Matt
Size: 300 x 600 x 5mm
Pack Qty: 11
Code: DC01T78



Urban Pine | Matt
Size: 300 x 600 x 5mm
Pack Qty: 11
Code: DC0TC62



White Oak Tile | Matt
Size: 300 x 600 x 5mm
Pack Qty: 11
Code: DC01T04




Cargo Wood | Matt
Size: 170 x 1200 x 5mm
Pack Qty: 10
Code: DC01F06



Hamam Wood | Matt
Size: 170 x 1200 x 5mm
Pack Qty: 10
Code: DC01F05




Dune Grey Panel | Matt
Size: 600 x 2600 x 5mm
Pack Qty: 2
Code: DC01F78



Grey Concrete Panel | Matt
Size: 600 x 2600 x 5mm
Pack Qty: 2
Code: DC01D74



White Stone Panel | Matt
Size: 600 x 2600 x 5mm
Pack Qty: 2
Code: DC01G01



Wise Stone Panel | Matt
Size: 600 x 2600 x 5mm
Pack Qty: 2
Code: DC01G24



Boca Stone Panel | Matt
Size: 600 x 2600 x 5mm
Pack Qty: 2
Code: DC01G22

Feature Wall +



Transform your walls with Feature Wall+ by Zest. These textured, realistic panels capture the beauty of real wood and tile without the hassle. Quick to install, they're perfect for any space - homes, offices, restaurants and more. Each kit includes 9 panels, trims, and adhesive pads for a complete solution. Enjoy a fast and simple installation process with striking results.

- Complete kit
- Ultra-realistic design
- Textured panels
- Fast and easy to install
- Durable
- Low maintenance - easy to clean



Victorian Grey | Matt

Size: 154 x 1200 x 6mm

Pack Qty: 9

Code: DC01G13



Light Vintage Wood | Matt

Size: 154 x 1200 x 6mm

Pack Qty: 9

Code: DC01G08



Scorched Beech | Matt

Size: 154 x 1200 x 6mm

Pack Qty: 9

Code: DC01G12



Etched White Cabin | Matt

Size: 154 x 1200 x 6mm

Pack Qty: 9

Code: DC01G06



Dark Vintage Wood | Matt

Size: 154 x 1200 x 6mm

Pack Qty: 9


Code: DC01G09

Cabana



Recreate the laid-back charm of a seaside retreat with Cabana wall panels. Their natural washed-wood texture delivers an authentic coastal look without the maintenance of real wood. Ideal for homes or commercial spaces like bars, restaurants and shops. Not supplied as a kit, 9 panels only.

- Ultra-realistic design
- Impact resistant
- Textured panels
- Fast and easy to install
- Horizontal or vertical fitting
- Low maintenance - easy to clean



Cabana White | Matt

Size: 154 x 1200 x 6mm

Pack Qty: 9

Code: DC63D85



Cabana Natural | Matt

Size: 154 x 1200 x 6mm

Pack Qty: 9

Code: DC63C53

Note: Feature Wall+ and Cabana ranges not to be used in bathrooms.



1m Wall Panels



Upgrade your bathroom design with Zest's 1m wall panels, featuring 18 striking designs in matt, gloss, and satin finishes. Versatile and durable, these panels are perfect for completing a full bathroom or enhancing your shower area. Zest's widest panel offers a sleek and seamless finish for an elegant bathroom design.

- 100% waterproof
- Two Interchangeable sizes
- Ultra-realistic design
- Fast and easy to install
- Solid construction
- Low maintenance - easy to clean



Zinc

Size: 1000 x 2400 x 10mm

Finish: Satin

Code: LM3005



Mineral

Size: 1000 x 2400 x 10mm

Finish: Satin

Code: LM3009



Nordic

Size: 1000 x 2400 x 10mm

Finish: Matt

Code: LM3010



Blanco

Size: 1000 x 2400 x 10mm

Finish: Matt

Code: LM3011



White Diamond

Size: 1000 x 2400 x 10mm

Finish: Gloss

Code: LM1002



Black Diamond

Size: 1000 x 2400 x 10mm

Finish: Gloss

Code: LM1003



White Marble

Size: 1000 x 2400 x 10mm

Finish: Gloss

Code: LM1007



Storm

Size: 1000 x 2400 x 10mm

Finish: Gloss

Code: LM1008



Pergamon

Size: 1000 x 2400 x 10mm

Finish: Gloss

Code: LM1009



Lightning

Size: 1000 x 2400 x 10mm

Finish: Gloss

Code: LM2001



White Gloss

Size: 1000 x 2400 x 10mm

Finish: Gloss

Code: LM2004



Aspen

Size: 1000 x 2400 x 10mm

Finish: Gloss

Code: LM3001




Platinum

Size: 1000 x 2400 x 10mm

Finish: Gloss

Code: LM3002



Portland

Size: 1000 x 2400 x 10mm

Finish: Matt

Code: LM3003



York

Size: 1000 x 2400 x 10mm

Finish: Matt

Code: LM3004

500mm Wall Panels



Transform your space with the stunning 500mm wall panels by Zest, featuring ultra-realistic and textured designs, digitally printed for a seamless pattern that flows around the room. With quick and easy installation, these panels are 100% waterproof and easy to clean.

- 100% waterproof
- *Textured Designs
- Ultra-realistic designs
- Fast and easy to install
- Digitally printed
- Low maintenance - easy to clean









375mm Wall Panels



Introducing Zest's 375mm digitally printed panel range, featuring contemporary tile, stone, marble, and wood designs. Choose from seamless patterns like Oslo or Manhattan, textured finishes like Bombay or Rustic Wood, or subtle effects like Dune or Stone Tile. Easy to install, these panels are perfect for modern interiors.

- 100% waterproof
- Ultra-realistic designs
- Fast and easy to install
- Digitally printed
- Low maintenance - easy to clean







250mm Wall Panels






Introducing Zest's 250mm wall panel range, featuring 18 stunning designs in stone, concrete, tile, wood, satin, and marble effects with contemporary matt, gloss, or iridescent finishes. Quick and easy to install, these panels are 100% waterproof and easy to clean. Upgrade your space effortlessly with this versatile panel range.

- 100% waterproof
- Wide range of finishes
- Fast and easy to install
- Low maintenance - easy to clean








Zest Wall Panels

					
Blanco Matt	Alpine Wood Gloss	Alba Grey Gloss	White Wood Gloss	Romano Beige Gloss	Inari Grey Gloss
Size: 250 x 2600 x 5mm	Size: 250 x 2600 x 5mm	Size: 250 x 2600 x 10mm	Size: 250 x 2600 x 10mm	Size: 250 x 2600 x 10mm	Size: 250 x 2600 x 10mm
Pack Qty: 4	Pack Qty: 4	Pack Qty: 4	Pack Qty: 4	Pack Qty: 4	Pack Qty: 4
Code: RM3011	Code: RM2009	Code: DC26083	Code: DC260L6	Code: DC26274	Code: DC26628

Ceiling Panels



Discover our range of ceiling panels that are perfect for adding some zest to your ceiling. Available in satin, gloss or high-gloss finishes, these panels cover imperfections and eliminate the need for painting in often hard to reach areas. Complete your renovation projects seamlessly with our stylish, durable and practical ceiling panels.

	Satin White Zest Panels	2.6m	4m
		250 x 10	250 x 10
	Pack Qty:	4	3
	Code:	DC40026	DC40001
	Gloss White 2 Silver Strip - Zest Panels	2.6m	4m
		200 x 6	200 x 6
	Pack Qty:	4	4
	Code:	RM2226	RM2240
	White High Gloss Plastivan Panels	2.6m	4m
		250 x 10	250 x 10
	Pack Qty:	4	4
	Code: CLADDING-WHITE	-2	-4
	White With Silver Strip Zest Panels	2.7m	4m
		200 x 10	200 x 10
	Pack Qty:	8	8
	Code:	DC28101	DC28104

Internal Cladding Trims

5mm Panels

	White	Black	Chrome
 End Cap For 5mm Panels	RM0101T	RM0201T	RM0401T
 Internal Corner For 5mm Panels	RM0102T	RM0202T	RM0402T
 External Corner For 5mm Panels	RM0103T	RM0203T	RM0403T

10mm Panels

	White	Black	Chrome
 End Cap For 10mm Panels	LM0101T	LM0201T	LM0401T
 Internal Corner For 10mm Panels	LM0102T	LM0202T	LM0402T
 External Corner for 10mm Panels	LM0103T	LM0203T	LM0403T

5 - 8mm Panels

	White	Cold Grey	Carbon	Grey
 Clip on End Cap for 5-8mm Panels	DC48004	DC55C26	DC55C03	DC55C18
 Uni Corner for 5-8mm Panels	DC47004	DC82C26	DC82C03	DC82C18

8 - 10mm Panels

	White
 External Corner For 8-10mm Panels	DC17104
 End Cap For 8-10mm Panels	DC18104
 Multipurpose Trim for 8-10mm Panels	DC19104



Code: CLADSEAL | 1.85m

CladSeal Trim

Provides a flexible, durable and waterproof joint seal between a ledge and the adjacent bottom edge of a PVC wall panel, ensuring a consistently clean look.

- Concealed and Protected:** The sealant is hidden within the trim, preventing unsightly grime buildup.
- Flexible and Durable:** CladSeal's unique design allows for joint movement, preventing cracks and leaks
- Easy Installation:** The simple two-strip system requires no special tools and can be installed quickly and efficiently.



Mermaid Collection





Transform your bathroom effortlessly with the Mermaid Collection. This elegant, stylish and hard-wearing wall panel system offers a cost-effective and simple way to revamp any bathroom space, big or small.


Manufactured from highly durable plywood, these 11mm panels provide watertight solutions that don't break the bank. Available in a variety of sizes and finished with a square edge or tongue and groove edge.

- Grout free - easy to clean
- 30+ Stylish designs
- Fast and easy to install
- Lifetime manufacturer's guarantee

Panel Size - Tongue & Groove	Code
2420 x 1185 x 11mm	MERMAID-1185-TG-
2420 x 880 x 11mm	MERMAID-880-TG-
2420 x 585 x 11mm	MERMAID-585-TG-

Panel Size - Square Edge (Clean Cut)	Code
2420 x 1210 x 11mm	MERMAID-1210-
2420 x 900 x 11mm	MERMAID-900-





Trims	Polished Silver	Brushed Silver	Black	White
Internal Corner (Aluminium)	MERMAID-INTCORNER-PS	MERMAID-INTCORNER-SSA	MERMAID-INTCORNER-BLACK	MERMAID-INTCORNER-WHITE
External Corner (Aluminium)	MERMAID-EXTCORNER-PS	MERMAID-EXTCORNER-SSA	MERMAID-EXTCORNER-BLACK	MERMAID-EXTCORNER-WHITE
End Cap (Aluminium)	MERMAID-ENDCAP-PS	MERMAID-ENDCAP-SSA	MERMAID-ENDCAP-BLACK	MERMAID-ENDCAP-WHITE
H Joint (Aluminium)	MERMAID-HSECTION-PS	MERMAID-HSECTION-SSA	MERMAID-HSECTION-BLACK	MERMAID-HSECTION-WHITE
2 Part Wall Profile (PVC)	-	-	-	MERMAID-2PART-SHOWER
2 Part Flooring Profile (PVC)	-	-	-	MERMAID-2PART-FLOOR



Wetwall's Lifetime Guarantee

To validate the lifetime manufacturer's guarantee Wetwall offer, you must use Wilsonart complete adhesive and sealants with the installation of all Wetwall bathroom wall panels. See page 93.

Installation Guide:

Scan for the installation guide for mermaid collection wall panels





Elite Collection








Experience the perfection of modern bathroom design with Wetwall's Elite collection. These innovative wall panels create a flawlessly smooth, trim-free finish that exudes luxury and sophistication. The Elite panels are easy to install thanks to their fast-fit tongue and groove joints and sleek post-formed edges, removing the need for trims.

- 100% waterproof
- Seamless finish
- Easy to clean
- Trim-free installation
- Luxurious modern design
- Fast and easy to install
- Lifetime manufacturer's guarantee
- Coordinating vanity worktops available

Panel Size	Code:
2420 x 1200 x10mm - Post Formed & T&G	ELITE-1200-PF
2420 x 1200 x10mm - Tongue & Grooved	ELITE-1200-TG
2420 x 600 x10mm - Tongue & Grooved	ELITE-600-TG

Panel Size	Code:
2420 x 580 x10mm - Double Post Formed	ELITE-580-PF
2420 x 160 x10mm - Post formed & T&G	ELITE-160-PF



 Vienna Blue Shell Sealant Colour: Basalt Grey	 Vienna White Shell Sealant Colour: Ice White	 Virgo Gris Shell Sealant Colour: Basalt Grey	 Weathered Concrete Matt Sealant Colour: Silver Grey	 Abruzzo Matt Sealant Colour: Slate Grey	 Artico Gloss Sealant Colour: Ice White
 Athena Marble Matt Sealant Colour: Ice White	 Caliza Matt Sealant Colour: Silver Grey	 Fumo Stone Sealant Colour: Ash Grey	 Gold Stone Gloss Sealant Colour: Silver Grey	 Himalayan Marble Stone Sealant Colour: Ash Grey	 Marmo Linea Matt Sealant Colour: Silver Grey
 Marmo Migliore Matt Sealant Colour: Ice White	 Milano Marble Matt Sealant Colour: Silver Grey	 Padova Matt Sealant Colour: Pewter Grey	 Quartzo Bianco Gloss Sealant Colour: Ice White	 Ravello Matt Sealant Colour: Basalt Grey	 Serpentine Stone Stone Sealant Colour: Silver Grey
 Scafell Slate Stone Sealant Colour: Basalt Grey	 Treviso Matt Sealant Colour: Fudge				



Wetwall's Lifetime Guarantee

To validate the lifetime manufacturer's guarantee Wetwall offer, you must use Wilsonart complete adhesive and sealants with the installation of all Wetwall bathroom wall panels. See page 93.

Installation Guide:

Scan for the installation guide for mermaid collection wall panels





Alloy Collection



Wetwall's Alloy are unique wall panels that feature a high-performance design layer adhered to a dual-sided aluminium surface, ensuring exceptional durability and style. Built with a composite waterproof core, making them 100% waterproof and ideal for any environment. Choose from a variety of modern decors and solid colour options in matt, gloss or shell finishes to complement your style. Coordinating vanity splashbacks available.

- 100% waterproof
 - Dual-sided solid colour panels
 - Fast and easy to install
- 100% waterproof
 - High-performance design layer
 - Lifetime manufacturer's guarantee

Wall Panel Size	Code:
2440 x 1220 x 4mm	ALLOY-1200-
2440 x 900 x 4mm	ALLOY-900-
2440 x 600 x 4mm	ALLOY-600-

Splashback Panels	Code:
400 x 250 x 4mm	ALLOY-SB-400
600 x 250 x 4mm	ALLOY-SB-600
800 x 250 x 4mm	ALLOY-SB-800

Aqua / Cadet | Gloss
Sealant Colour: Clear/Silver Grey

Deep Sea Blue / Smoked Rose | Matt
Sealant Colour: Basalt Grey/Clear

Glacier White / Neptune Blue | Gloss
Sealant Colour: Ice White/Silver Grey

Malibu Grey / Storm Blue | Gloss
Sealant Colour: Ash Grey/Basalt Grey

Midnight Grey / Hadrian Green | Matt
Sealant Colour: Jet Black/Clear

Seafoam Green / Battleship Grey | Matt
Sealant Colour: Clear/Pewter Grey

Atlantic / Urban Grey | Gloss
Sealant Colour: Silver Grey

Terra Grey / Seabreeze Green | Gloss
Sealant Colour: Mushroom/Silver Grey



Nero Portoro | Shell
Sealant Colour: Jet Black



Carrara Marble Herringbone | Shell
Sealant Colour: Silver Grey



Blue Scallop | Shell
Sealant Colour: Silver Grey



Linear Oak | Shell
Sealant Colour: Oatmeal



Fossil Stone | Shell
Sealant Colour: Ash Grey



Tempesta | Shell
Sealant Colour: Silver Grey




Roman Marble | Shell
Sealant Colour: Ice White



Stella Rosa | Shell
Sealant Colour: Clear



American Walnut | Shell
Sealant Colour: Chocolate



Terra Light | Shell
Sealant Colour: Oatmeal

Trims	Polished Silver	Matt Black	Matt Anthracite	Matt Silver
Internal Corner 2.4m	ALLOY-INTCORNER-2440-PS	ALLOY-INTCORNER-2440-PS	-	-
External Corner 2.4m	ALLOY-EXTCORNER-2440-PS	ALLOY-EXTCORNER-2440-MB	-	-
End Cap 2.4m	ALLOY-ENDCAP-PS	ALLOY-ENDCAP-MB	-	-
H Joint 2.4m	ALLOY-HSECTION-PS	ALLOY-HSECTION-MB	-	-
Internal Corner 800mm	ALLOY-INTCORNER-800-PS	ALLOY-INTCORNER-800-PS	-	-
Internal Corner 750mm	-	-	ALLOY-INTCORNER-750-MA	ALLOY-INTCORNER-750-MS
Internal Corner 600mm	-	-	ALLOY-INTCORNER-600-MA	ALLOY-INTCORNER-600-MS
External Corner 800mm	ALLOY-EXTCORNER-800-PS	ALLOY-EXTCORNER-800-MB	-	-
External Corner 750mm	-	-	ALLOY-EXTCORNER-750-MA	ALLOY-EXTCORNER-750-MS
External Corner 600mm	-	-	ALLOY-EXTCORNER-600-MA	ALLOY-EXTCORNER-600-MS
Edge Profile 3050mm	-	-	ALLOY-EDGE-3050-MA	ALLOY-EDGE-3050-MS
Edge Profile 800mm	ALLOY-EDGE-800-PS	ALLOY-EDGE-800-MB	-	-
Edge Profile 750mm	-	-	ALLOY-EDGE-750-MA	ALLOY-EDGE-750-MS
Edge Profile 600mm	-	-	WETWALL-SEALANT-	ALLOY-EDGE-600-MS



Wetwall's Lifetime Guarantee

To validate the lifetime manufacturer's guarantee Wetwall offer, you must use Wilsonart complete adhesive and sealants with the installation of all Wetwall bathroom wall panels. See page 93.

Installation Guide:

Scan for the installation guide for mermaid collection wall panels





Tile Collection



Achieve the classic beauty of tile without the hassle of grout with Wetwall's Tile Collection. These meticulously crafted wall panels seamlessly blend traditional aesthetics with modern practicality. Engineered from a specially formulated composite material, the Tile Collection panels are 100% waterproof and incredibly durable. The realistic tile effect extends across the joints, creating a stunning, uninterrupted finish.

- Grout-free installation
- Available in vertical & horizontal panels
- 3mm thick panels
- Fast and easy to install
- Authentic tile designs
- Lifetime manufacturer's guarantee

Panel Size	Code
2440 x 1220 x 3mm (Vertical)	TILE-1220-V-
1230 x 2440 x 3mm (Horizontal)	TILE-2440-H-

Trims	Polished Silver
Internal Corner (Aluminium)	TILE-INTCORNER-PS
External Corner (Aluminium)	TILE-EXTCORNER-PS
End Cap (Aluminium)	TILE-ENDCAP-PS
H Joint (Aluminium)	TILE-HSECTION-PS



Wetwall's Lifetime Guarantee

To validate the lifetime manufacturer's guarantee Wetwall offer, you must use Wilsonart complete adhesive and sealants with the installation of all Wetwall bathroom wall panels. See page 93.

Installation Guide:

Scan for the installation guide for mermaid collection wall panels




Mermaid Worktops


Vanity Worktop Size	Code
1500 x 425 x 12mm	MERMAID-WORKTOP-




White Marble | Matt



Bianco Marble | Matt



Brera Marble | Matt



Industrial Concrete | Stone



Marmo Venezia | Shell




Marbre Palazzo | Stone

Elite Worktops

Vanity Worktop Size	Code
1500 x 425 x 28mm	ELITE-WORKTOP-




Athena Marble | Shell



Fumo | Stone Finish



Himalayan Marble | Shell



Pewter Terrazzo | Stone



Marmo Grigio | Matt



Marbre Celeste | Shell

Shower Storage



Double Shelf Recessed Niche
WETWALL-NICHE-DOUBLE



Single Shelf Recessed Niche
WETWALL-NICHE-SINGLE



Corner Shelf
WETWALL-CORNER-SHELF

Wetwall Adhesive and Sealants



WETWALL-ADHESIVE



WETWALL-SEALANT-

Colour Options:

Silver Grey




Jet Black



Chocolate



Ice White



Basalt Grey



Chestnut



Pewter Grey



Mushroom



Vanilla



Fudge



Ivory



Oatmeal



Ash Grey



Slate Grey



Clear



Clever Click Rigid Flooring



Clever Click Rigid flooring offers a beautiful and durable selection of planks and tiles to enhance any space. Whether you prefer the look of real wood or natural stone, Clever Click Rigid flooring has the perfect solution.

The stone polymer composite (SPC) construction ensures exceptional strength and resistance to wear and tear. The innovative click technology makes installation quick and easy, eliminating the need for glue or adhesives. Clever Click Rigid flooring is slip-resistant and waterproof, suitable for any room. It can be installed over existing surfaces and is compatible with underfloor heating.



Integrated Underlay



Waterproof



Installs Over Existing Surfaces



15-Year Residential Manufacturer's Guarantee

Herringbone

Dimensions	Pack Qty	Area
125 x 625mm	18	1.41m ²



Wichita Beech



Lexington Oak




Concord Ash

Plank


Dimensions	Pack Qty	Area
180 x 1220mm	8	1.76m ²



Amarillo Walnut



Denver Oak



Concord Light Oak




Springfield Ash




Buffalo Maple



Boston Ash



Portland Beech




Akron Teak

Waterproof and stain-resistant, for ultimate durability.


XL Plank

Dimensions	Pack Qty	Area
229 x 1220mm	8	2.24m ²






Mosaic Tiles

Dimensions	Pack Qty	Area
305 x 610mm	8	1.49m ²




Tiles

Dimensions	Pack Qty	Area
305 x 610mm	8	1.49m ²



Tiles XL

Dimensions	Pack Qty	Area
457 x 914mm	6	2.51m ²



Elite Komadur - Hygienic Rigid PVC

Over **30**
colours
available



Discover Elite Komadur - redefining hygienic wall cladding. Elevate your space with a perfect blend of aesthetics and functionality. With an extensive range of sizes, thicknesses, and 30+ colours, Elite Komadur provides unmatched flexibility. Complete with a full range of accessories for easy customisation, joints can be seamlessly welded for a flawless finish.

Ideal choices for applications: **Properties:**

- Food & drink plants
- Hospitals
- Supermarkets
- Kitchens
- Prisons
- Sports facilities
- Restaurants
- Clean rooms
- Schools
- Easy to clean
- Low maintenance
- Excellent chemical resistance
- Temperature range: -10°C to +60°C
- Food-safe PVC
- Cost-effective
- 20-year manufacturer's warranty
- Fire rated to BS476 Part 7 Class 1

Colour Examples:

		
White	Mushroom	Pearl Grey
		
Blue	Pink	Orange
		
Peppermint	Green	Mid Grey



The only cement board you'll ever need!

The Hardie® Backer - Made with 90% Portland cement and sand the Hardie® Backer has the highest flexural strength and up to three times the compressive strength of competitive cement boards.

The unique formulation provides outstanding moisture resistance, its also free from loose aggregate or filler, ensuring enhanced stability and integrity.

The clean cuts, allow edges to align seamlessly for a precise fit, it can be easily cut to any size by simply scoring and snapping. Produces minimal dust and debris, contributing to a cleaner working environment.

Thanks to the excellent tile adhesion properties, this is usable for both flooring and walls with all types of ceramic or stone tiles.



Quick to Install



**Strongest on
The Market**



Never Fails



HARDIE-BACKER-BOARD-6MM

Size: 1200 x 800 x 6mm
6mm for overboarding timber floors or existing plaster or masonry walls.



HARDIE-BACKER-BOARD-12MM

Size: 1200 x 800 x 12mm
12mm for use on stud walls and fire surrounds.



HARDIE-BACKER-25MM-SCREWS-100

Self-countersinking screws 25mm for walls - (100)



HARDIE-BACKER-35MM-SCREWS-100

Self-countersinking screws 35mm for floors - (100)



HARDIE-BACKER-TAPE-50X15M

Alkaline-resistant & glass-fibre mesh reinforcing tape - 50mm x15m



HARDIE-BACKER-SCORE/SNAP-KNIFE

Scoring knife for making accurate and straight cuts on Hardie® Backer boards.

 Outdoor Living

Duofuse	
Duofuse Composite Fencing	99
Duofuse Composite Decking	100
Fensys	
Fensys	101
Suelo	
Suelo Decking	102



Please note that colours shown in this product guide are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.

Discover Duofuse® Composite Fencing

Elevate any outdoor space with timeless elegance and durability of Duofuse. Known for their innovative and aesthetic solutions, they have redefined the outdoor living experience.

The comprehensive range includes a Tongue and Groove board system, Slat Wall designs, and Ranch-style fencing. Each style is engineered to enhance outdoor spaces while simplifying installation and maintenance.



Tongue & Groove System



Ranch Style



Slat Wall System



Whether you're aiming for Tongue and Groove board elegance, sleek Slat Wall designs, or the charm of Ranch aesthetics, Duofuse delivers. Easy installation systems that impress and elevate outdoor spaces.



Duofuse Composite Decking



Introducing **Duofuse®** composite decking – a perfect blend of timeless elegance and low-maintenance durability. This superior alternative to tropical hardwood decks adds a stylish and natural touch to any garden, offering versatility for steps, bridges, or decking areas. Available in hollow and solid versions with various finishes, **Duofuse®** ensures a stylish and practical solution, complete with all necessary fittings and accessories.


- Low-maintenance
- Durable & long lasting
- Does not rot or splinter
- Fast and easy to install
- Double sided planks
- Invisible fixings
- 10-year manufacturer's warranty




Graphite Black - GB



Stone Grey - SG



Tropical Brown - TB



Wenge Brown - WB




Hollow Decking Board - Refined and Robust finishes.

DFD162

Available in lengths 4m and 6m.
162mm x 28mm x 4000mm
162mm x 28mm x 6000mm

Colours:
GB, SG, TB, WB



Hollow Decking Board - Brushed and Woodgrain finishes.

DFDE162

Available in lengths 4m and 6m.
162mm x 28mm x 4000mm
162mm x 28mm x 6000mm

Colours:
GB, SG, TB, WB



DFB048
Beam -
48.5 x 35mm x 4m



DFS076
Skirt - 76 x 10mm x 4m
Colours: GB, SG, TB, WB



DFLA076
Aluminium L Profile -
76 x 37mm x 4m

Colours:
Ral 7021 - GB
Ral 7030 - SG
Ral 8017 - TB
Ral 8019 - WB



DFC001
Standard Clips
Quantity: 100



DFC002
Butting Clips
Quantity: 10



DFC004
Starting Clips
Quantity: 10



FENSYSTM

Fensys offers a comprehensive range of UPVC products designed to transform and enhance your outside living space. As a leading UK manufacturer, Fensys provides solutions to create beautiful, functional, and low-maintenance outdoor living areas.

Decking Solutions



Extend your living space with high-quality decking. In a variety of colours and styles to perfectly complement your home.

Balustrade Systems



Add safety and style to your decking with our range of balustrade systems. Available in various designs and colours.

Skirting Options



Complete the look with our UPVC skirting. Available in different styles and colours, skirting not only enhances appearance but can also provide insulation and prevent unwanted access.

Brochure & Component Guide Available On Request



Suelo Composite Decking



Suelo composite decking offers a modern and practical alternative to traditional timber decking. It is engineered for high performance and durability, providing a slip-resistant surface. Unlike timber, Suelo decking resists rot, is weather resistant and is easy to clean, significantly reducing maintenance requirements. Available in a choice of grooved or woodgrain effects and a selection of colours, Suelo decking allows for design versatility while offering the warmth and appeal of natural hardwood. The hidden fixing system ensures a clean finish, and the eco-friendly composition makes it an environmentally conscious choice.



	Code	Grey	Charcoal	Brown
25 x 150mm Decking - 3.6m	SUELO-DECK	GY	CH	BR
150 x 10mm Fascia Plank - 3.6m	SUELO-FASCIA	GY	CH	BR
40 x 40mm Cover Angle - 3.6m	SUELO-ANGLE	GY	CH	BR
Stair Edge Board - 3.6m	SUELO-STAIREDGE	GY	CH	BR



Starter Clips & Screws - (30)
Tub of 30 Starter Clips and 30 Screws.
Code: SUELO-STARTERCLIPS



Fixing Clips & Screws - (50)
Tub of 50 Fixing Clips and 50 Screws. Coverage (2.5m²)
Code: SUELO-FIXINGCLIPS



Decking Joist - 3.6m

Create a solid foundation for your decking project with Composite Deck Joists.

Dimensions	Code
40 x 30mm	SUELO-JOIST-40X30
61 x 41mm	SUELO-JOIST-61X40



Adjustable Pedestal
Adjustable Pedestal (35mm to 60mm) Support for Raised Decking Platforms

Code: SUELO-PEDESTAL-35/60



Increase decking pedestal height for precise levelling on any surface.

Adjustable Support

Height	Code
25mm	SUELO-SUPPORT25
50mm	SUELO-SUPPORT50
100mm	SUELO-SUPPORT100





Windows

UPVC Windows

Fully Sculptured Windows	104
Flush Casement Windows	106
Vertical Sliders	108

Aluminium Windows

Aluminium Windows	110
-------------------	-----

Roof Windows

Fakro Roof Windows	112
Stratus Roof Lanterns	114
Flat Roof Windows	116
Polycarbonate Rooflight	118

Loose Glass

Loose Glass	119
-------------	-----

Secondary Glazing

Secondary Glazing	120
-------------------	-----

Please note that colours shown in this product guide are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.



Optima Fully Sculptured Windows



Optima by Profile 22 is a complete 70mm sculptured system that provides excellent performance in various applications, including casement, French casement, and tilt & turn windows. It offers better insulation and weather protection, a larger glass area, and revolutionary centre seals to the outer frame and sash. The system provides design flexibility with the broadest range of ancillaries and double and triple-glazed options, including cost-effective triple glazing that achieves U-values below 1 without using krypton gas. Optima also features deeper drainage channels, maximum security and strength, and easy installation. It meets Building Regulations and PAS 24:2022, making it superior quality and a durable choice.



Superb weather protection



Better insulated



Better drainage



Superior security & Strength



Casement Windows



The Optima Casement Window is a classic window design suitable for almost any aperture or design layout, including bay and bow windows. It has single top or side hung openers and multi-lights.

- Sculptured edge design
- 28 & 36mm glazing options
- 5-chamber sash (with optional RCM inserts available)
- Outer frame / sash centre seals
- 10mm cover on weather seals
- 6-chamber outer frame (with optional RCM inserts)

These features are carefully designed to provide outstanding aesthetics, exceptional security, and impressive thermal efficiency.

French Casement Windows



The Optima French Casement Window is ideal for dormers, cottages, and smaller apertures. Its symmetrical opening panes offer good ventilation, unrestricted views, and the possibility of an emergency-escape route, with an impressive glass-to-frame ratio due to slim and unobtrusive profiles.

- Sculptured edge design
- 28 & 36mm glazing options
- 5-chamber sash (with optional RCM inserts available)
- Outer frame / sash centre seals
- 10mm cover on weather seals
- 6-chamber outer frame (with optional RCM inserts)

These features are carefully designed to provide outstanding aesthetics, exceptional security, and impressive thermal efficiency.

Tilt & Turn Windows










Ideal for high, exposed, or challenging locations, the Optima Tilt & Turn Window offers superior sightlines and secure all-round locking, perfect for commercial and residential projects. Its sleek frame design ensures both reliability and elegance.

- Sculptured edge design
- 28 & 36mm glazing options
- Concealed hardware
- Optional sash & outer frame centre seals
- 5-chamber sash
- 5-chamber outer frame (with optional RCM inserts)

These features are carefully designed to provide outstanding aesthetics, exceptional security, and impressive thermal efficiency.

Colours - For the full colour range please ask in branch for a brochure

 White	 White Woodgrain	 Cream	 Anthracite Grey	 Rosewood	 Black Brown	 Light Oak
 Anth Grey Smooth	 Chartwell Green	 Agate Grey	 Slate Grey	 Sage Smooth	 Pebble Grey	 Claystone



Flush Casement Windows

Optima Flush Casement



The Optima Flush Casement Window is the perfect union of timeless charm and modern efficiency. Crafted to embody an authentic period aesthetic with great features, mechanical jointing, a balanced dummy sash, a deep bottom rail mirroring original timber frames, and heritage-inspired hardware like monkey-tail handles and dummy peg stays.

Beneath its classic exterior, the Optima Flush Casement Window unveils a groundbreaking design, making it the most energy-efficient flush casement window on the market. Experience a warmer, draught-free home while enjoying top-tier security that exceeds legal requirements.



Low u-values



Water tightness
to 600Pa



Wind load resistance
to 2000Pa



Safe and secure

Casement Windows



The Optima Casement Window is a classic window design suitable for almost any aperture or design layout, including bay and bow windows. It has single top or side hung openers and multi-lights.

- Flush edge design
- 24mm glazing options
- 70mm System
- Multi point locking

These features are carefully designed to provide outstanding aesthetics, exceptional security, and impressive thermal efficiency.

Elevate Home Security: Yale SensCheck

SensCheck compatible windows and doors available on request.

About SensCheck™

SensCheck™ is compatible with popular smart home platforms like Amazon Alexa, Google Assistant, and Philips Hue, allowing you to control your sensors with just your voice. Give your customers the power to check and control their home security remotely with the 'Yale Alarm' App.

With SensCheck™, they can:



Check if their doors are open, closed, locked or unlocked. Check if their windows are open, locked in vented position or locked in the closed position.



Receive a chime notification when a window or door changes status.




Arm or partially arm their home for customised security.



Alarm will sound (using 94dB SyncHub) if sensor status changes when alarm is armed



Geo-fencing alerts mean they'll receive notifications on the Yale Smart Living Alarm app if they have forgotten to secure their property



Please request windows and PVC doors to be Yale SensCheck ready.

Note that the sensor is not supplied by EWE Building Plastics and will need to be sourced from approved stockists.



Vertical Sliders



Introducing Evolve VS Vertical Sliding Sash Windows. Crafted to preserve the graceful proportions of traditional sash windows, Evolve VS seamlessly combines classic charm with modern technology.

Enjoy effortless cleaning with tilting upper and lower sashes, sleek design with low-line beads, and gaskets for improved sight lines. Benefit from energy-efficient glass, a 10-year manufacturer's warranty and robust security with aluminium and steel reinforcement.

Transform your home with the perfect blend of classic style and contemporary efficiency.



Superb weather protection



Better insulated



Better drainage



Safe and secure


Hardware




Styling Options




Shapes and Styles




Non-bar




Centre Bar




Three Light




Offset Three Light




Georgian



Georgian Variant




Fire Egress A




1/3 x 2/3




N2/5 x 3/5




Asymmetric




Margin




Half Georgian




Swept Head




True Arch



Deep Bottom Rail



Bays and coupled windows available



VS window sizes available:

Min. width/height: 350mm x 800mm

Max. width/height: 1500mm x 2500mm

Minimum fire escape sizes:

Min. width: 600mm x 1350mm (50/50 split)


Min. width: 600mm x 1100mm (50/50 split)*

*Achieved by using constant force springs.


Colours - For the full colour range please ask in branch for a brochure




White




White Woodgrain




Cream




Grey



Cherrywood




Black Brown



Golden Oak



Chartwell Green



Irish Oak





Aluminium Windows

Aluminium Windows



Stellar's Aluminium Window Collection seamlessly combines ultra-slim sections with simple shapes, allowing architectural elements in your projects to shine. The Fully Flush Casement Window offers graceful looks, remarkable strength, and virtually maintenance-free performance.

The new Flush Tilt & Turn Window not only maximises light and views but also meets the highest standards for medium and high-rise buildings. Future-proof design, robust hardware, and intelligent gearing ensure outstanding thermal and weather performance, along with enhanced safety features.

Elevate your space with the sophistication and innovation of Stellar's Aluminium Window Collection.



Low u-values



Water tightness
to 600Pa



Wind load resistance
to 2000Pa



Safe and secure



Aesthetics

- Market leading slim profiles
- Thicker cill to replace timber
- No dummy sashes needed
- Flush sash
- All internally beaded as standard
- Marine Grade powder coat finish as standard



Performance

- WER up to Band A with triple glazing
- U-values as low as 1.1 W/m²K
- U-values dependent on window design



Guarantees

- 10 year mechanical performance manufacturers guarantee.
- 10 year surface powder coat finish manufacturers guarantee

Fully Flush Casement



The Fully Flush Casement Window defines modern elegance with a streamlined look both inside and out. No angles, no overlaps—just pure, clean shapes and ultra-thin frames set Stellar apart. Carefully selected hardware ensures reliability, durability, and enhanced security while maintaining the remarkable lines of this window. Customise configurations to match your design preferences, enjoying improved light levels, better insulation, and easy maintenance.

For those seeking an aesthetic touch, we also offer Fixed Frame Windows. With proportions that let the view and light take centre stage, these windows add more interest to your space.

Flush Tilt and Turn



The Flush Tilt & Turn Window combines strikingly slim aesthetics with concealed gearing, delivering a beautifully streamlined finish. The design creates a dramatic expanse of glass, maximising light and views for a sophisticated living space that is a joy to inhabit.



Expect outstanding thermal and weather performance, safeguarding you from the elements. Robust internal hardware, multiple locking points, and intelligent gearing enhance security, providing reassurance. The Flush Tilt & Turn window from Stellar blends elegant simplicity with unparalleled performance.

Colours

Standard Colours

		
Signal White Flat/Matt RAL 9003	Anthracite Grey Flat/Matt RAL 7016	Jet Black Flat/Matt RAL 9005

Prestige Colours

			
Cream Flat/Matt RAL 9001	Agate Grey Flat/Matt RAL 7038	Slate Grey Flat/Matt RAL 7015	Chocolate Brown Flat/Matt RAL 8017

Any Colour


Custom RAL Colours available to order.



Pitched Roof Windows - FAKRO

FAKRO Roof Windows



Add a focal point to any room with a FAKRO roof window.

Their windows are the perfect mix of style and high quality, meaning you can rest assured they will stand the test of time. They feature a universal bracket fit system making them easy to fit with more positioning choice.

FAKRO have been producing innovative quality products for over 20 years. When it comes to roof windows, FAKRO leads the way in quality and design innovation.



Energy-efficient design



High quantities of natural light.



Quick and easy to install



Anti-burglary protection




10 Year manufacturer's warranty



topSafe

FAKRO's topSafe system significantly improves resistance to break-in attempts and protects against the sash opening under foot pressure if stepped on.



V40P

FAKRO's V40P automatic air inlet is positioned in the top part of the frame.

An elastic, pneumatic flap deflects, limiting the amount of in-flowing air by reducing the air inlet duct area.



thermoPro

ThermoPro technology increases energy-efficiency performance, provides greater durability, ensures excellent tightness and facilitates the installation process of roof windows.

Internal Finishes



Natural Pine



White Polyurethane



White Acrylic



White UPVC



Centre Pivot

The FAKRO centre-pivot roof window is by far the most popular choice, offering unbeaten quality in many different internal finishes, glazing types and sizes.

- Easy cleaning as the sash rotates 180°
- Handle at the bottom for easy operation
- Wide range of accessories
- Available as Z-Wave (electric) and Solar



Top Hung Dual Action Roof Windows

FAKRO's new generation of top-hung roof windows, seamlessly transitions between top-hung and centre-pivot modes at the press of a button. With two independent opening mechanisms, the outward function allows flexible positioning from 0° to 45°, combining convenience and versatility in one sleek design.

- Easy cleaning as the sash rotates 180°
- Handle at the bottom for easy operation



Conservation

The FAKRO conservation roof window combines top-quality windows with the conservation style that allows roof windows to be installed in listed or heritage buildings.

- Available in a range of profiles
- Middle black vertical mullion bar
- Available in double and triple glazed
- External colour - RAL 9005

High Pivot, Balcony, L - Shaped, Side Hung and more Available

Stratus Aluminium Roof Lantern



Experience a new level of excellence with the purpose-designed Stratus aluminium lantern roof system. Combining discretion and style, Stratus transforms interiors by allowing abundant natural light to flood in – the pinnacle of modern lantern solutions. Its sleek contemporary aesthetics are backed by exceptional performance, thanks to an innovative thermally broken system. Expect impressive thermal efficiency, architectural refinement, and a seamless fit for your projects.

Stratus offers a variety of configurations - 2-way, 3-way, 4-way, contemporary or square designs - providing you the flexibility to customise according to your project's requirements.



Hard wearing
aluminium exterior



20° pitch and
discreet cappings



More thermally
efficient




Quick and easy
to Install



66% smaller ridge for
beautiful aesthetics

Colours:



Any RAL Available on
request

Glazing Options:

Ambi Blue Low E (Unit U value 1.2)

Self Clean Clear Low E (Unit U value 1.2)

Perfect Fitting Partner

When it comes to sealing your Lantern we ensure we partner your jobs with the best sealants on the market



All Sizes Are ETU - External Timber Upstand Dimensions (Upstand to measure 100mm wide and a recommended height of 150mm)

Square Design




Minimum Size: 600mm
Maximum Size: 2000mm

Contemporary Design




Width: 750mm - 1500mm
Length: 1250mm - 3000mm


2 Way Design



Width: 750mm - 1500mm
Length: 1250mm - 3000mm



Width: 750mm - 1500mm
Length: 2250mm - 4500mm



Width: 750mm - 1500mm
Length: 3000mm - 6000mm


3 Way Design



Width: 1500mm - 2750mm
Length: 2250mm - 3000mm




Width: 1000mm - 3000mm
Length: 2250mm - 4500mm



Width: 1000mm - 3000mm
Length: 2250mm - 6000mm



Flat Roof Windows - em.glaze™



With a seamless, minimal finish both inside and out, em.glaze economy glass will perfect any project. Available in a wide range of options, including fixed, manual and electric opening.

Designed for mainstream applications, but with no compromise on quality. This economical flat glass roof light provides excellent thermal and weather performance, featuring a laminated inner pane for increased safety.

The flush glazed glass-to-edge design allows more transmissible daylight as well as low U-values for a warmer and more energy-efficient home.

The pre-glazed glass makes for easy installation and is compatible with the uPVC upstand and pre-assembled timber upstand for faster fitting on site, saving you time and money!


Featuring excellent sound insulation, ensuring peace and quiet in your home.

Quick delivery on 11 standard sizes!

**Part L
Compliant**

Features and Benefits


- 11 sizes available
- Thermal and energy efficient
- 84mm black frit panel to conceal the frame
- Ventilation options available
- Impeccable sound insulation
- Factory pre-glazed
- Low U-Values of 1.3W/m2K
- Bespoke units available
- em.glaze easy clean coating available



5 - 15°

em.glaze flat glass roof lights must be installed on a minimum 5 - 15° pitch.

Builders Upstand




To suit external kerb size

	Builder Upstand Product Size (mm)		Builder Upstand Product Size (mm)
Square	600 x 600	Rectangle	600 x 900
	750 x 750		600 x 1200
	900 x 900		900 x 1200
	1000 x 1000		1000 x 1500
	1100 x 1100		1000 x 2000
	1200 x 1200		


When ordering please ensure you order using the external kerb distances.

Vertical Upstand - uPVC 150mm



Roof opening size

Timber Sloping Stand - uPVC 150mm



Roof opening size

	UPVC / Timber Upstand Roof Opening Size (mm)		UPVC / Timber Upstand Roof Opening Size (mm)
Square	500 x 500	Rectangle	500 x 800
	650 x 650		500 x 1100
	800 x 800		800 x 1100
	900 x 900		900 x 1400
	1000 x 1000		900 x 1900
	1100 x 1100		

When ordering please ensure you order using the roof opening size.





Polycarbonate Rooflight - em.dome™

em.dome modular roof lights are designed to enhance daylight into offices, healthcare facilities, industrial structures, and commercial buildings.

Available in square, rectangular, and circular shapes. The roof lights are glazed using various types of polycarbonate, including single, double, triple, quad, ECO10, and ECO16 options. common glazing types include diffused, clear, and heat-reflective.

A domed profile is available for all manufactured sizes, and many of these rooflights can also be provided in a pyramidal design. Ventilation can be facilitated through fixed vents installed in the upstand or by incorporating manually or electrically operated openings.

A wide selection of upstands is available to accommodate roof insulation, or adaptors can be fitted to match builder upstands. Additionally, a variety of accessories are offered, including operating rods, control panels, rain sensors, thermostats, and remote controls.

**To find out more,
pick up a brochure in branch.**

40+ Sizes Available

**CWCT
NON-FRAGILE**





Loose Glass



Windows

Discover a comprehensive range of glass solutions tailored to meet diverse needs when you choose us as your supplier.

- Double / Triple Glazed Units
- Single Pane
- Balustrade Glass
- Shaped Glass
- Conservatory Glass – Self Cleaning , Anti Sun Glazing
- And More

Examples Of Patterned Glass:

Key:

1 - Least obscuration

5 - Most obscuration




Minster

2



Autumn

3



Contora

4




Stippolyte

4




Everglade

5



Cotswold

5



Charcoal

4

Secondary Glazing



Granada, a leading manufacturer of secondary glazing, offers the ultimate solution for a cosier, quieter, and more secure home. Their extensive range of made-to-measure products, featuring slim and discreet styles, effortlessly complements both traditional and contemporary homes. With a variety of styles and colours, finding the perfect unit for a property is simple.

Benefit from Granada's 10-year manufacturer's warranty, backed by high-grade aluminium profiles and durable hardware, ensuring enduring quality. Additionally, secondary glazing helps prevent heat from escaping, translating to lower energy bills. Elevate homes with Granada's cutting-edge solutions for enhanced comfort and peace of mind.



Warmer
buildings



Seamless
aesthetics



Quieter
rooms



Enhanced
security



Product Ranges

Classic - 4mm glazing with slimline, durable frames that allow for exceptional style, functionality and performance.

Enhanced - With ultra-strong aluminium frames that support up to 10.8mm glass for enhanced noise reduction and thermal insulation.

Product Range	4mm	6mm	6.8mm	8.8mm	10.8mm	28mm*
Classic						
Enhanced						

28mm* double glazing is only available with hinged products




Key Features:

- Removable panels for ease of cleaning.
- Brass roller for effortless sliding.
- Integrated lock for superior aesthetics
- Up to 10.8mm glazing available
- Colour coded hardware available
- Trickle ventilation available
- Restrictors available


Horizontal Slider

HS2 - 2 Panel




Max Width: 4,900mm
Or
Max Height: 2,700mm

HS3 - 3 Panel




Max Width: 4,900mm
Or
Max Height: 2,700mm

HS4 - 4 Panel



Max Width: 4,900mm
Or
Max Height: 2,700mm

HS5 - 5 Panel



Max Width: 4,900mm
Or
Max Height: 2,700mm




Key Features:

- Available in standard, slide past or tilt-in variation.
- Integrated lock for superior aesthetics
- Up to 10.8mm glazing available
- Colour coded hardware available
- Trickle ventilation available
- Restrictors available


Vertical Slider

BVS - Balanced Vertical Slider




Max Width: 1,575mm
Or
Max Height: 3,300mm

TBVS - Tilt-in Vertical Slider



Max Width: 1,600mm
Or
Max Height: 3,500mm

SPBVS - Slide Past Vertical Slider



Max Width: 1,575mm
Or
Max Height: 3,300mm



Secondary Glazing




Key Features:

- Available in slimline, heavy duty & stable door
- Butt hinges allow for 180° opening
- Low threshold available
- Up to 28mm glazing available
- Colour coded hardware available
- Trickle ventilation available
- Restrictors available

Hinged

SLHU - Slimline Hinged Unit




Max Width: 2,350mm

Or

Max Height: 3,500mm

DHU - Double Hinged Unit




Max Width: 4,100mm

Or

Max Height: 3,250mm

HU - Hinged Unit




Max Width: 2,050mm

Or

Max Height: 3,250mm

HUTT - Hinged Unit Tilt & Turn



Max Width: 1,700mm

Or

Max Height: 2,800mm


Lift Out Unit



Key Features:

- Available in slimline.
- Integrated lock for superior aesthetics.
- Range of handle profile options.
- Up to 10.8mm glazing available
- Trickle ventilation available
- Restrictors available

LO - Lift Out Unit



Max Width: 3,250mm

Or

Max Height: 3,250mm

Fixed Unit



Key Features:

- Up to 10.8mm glazing available
- Choose from over 200 RAL colours
- Ideal for commercial and residential properties of all sizes
- Ultra-slim durable aluminium frames

INS - Insert Panel



Max Width: 1,200mm

Or

Max Height: 2,000mm



Doors

Composite Doors

Endurance Doors	124
Avantal Doors	126
Safeguard Doors	128

Aluminium Doors

Bifolding Doors	130
Lift & Slide Doors	132

UPVC Doors

Patiomaster - Sliding Doors	134
French Doors	136

Please note that colours shown in this product guide are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.



Composite Doors - Endurance

Endurance Doors - The UK's most secure doors boasting a 48mm solid timber core



What makes an Endurance door?

1. Locking cylinder
2. High security multi point locking system
3. Solid timber core
4. Moisture barrier strip
5. Hardware accessories
6. Hard wearing door skin
7. PVCu door frame
8. Thermally toughened glazing

With over 18 colours, 60 glazing designs, and a wide range of hardware options, providing you with an unparalleled level of customisation for doors. Whether you're seeking a classic, bold, or modern look.





Popular Door Designs

Classic Collection

Designs inspired by the Georgian and Victorian eras.



Elger



Snowdon



Etna



Chevlot

Urban Collection

Designs that offer a contemporary style.



Alto



Mayon



Ketu



Pen

Country Collection

Designs that feature a range of traditional shiplap styles.



Abbot



Cleeve



Kit



Eldon

Stable Doors

Many of Endurance doors designs are also available as Stable doors.



Design your door online

Use our online door designer to design your Endurance door and request a free quote.



Scan QR code or visit:
eweplastics.co.uk/endurance-door-designer

Or pickup a brochure in branch





Composite Doors - Endurance

Avantal - Composite doors with modern elegance inspired by the sleekness of aluminium



What makes an Avantal door?

1. Hard wearing door skin
2. High security multi point locking system
3. Solid timber core
4. High security locking cylinder
5. Reinforced door frame
6. Thermally toughened glazing
7. Quality Hardware Accessories



AnTeak




Anthracite Grey




Black Uti-Matt



Signal Grey



Rustic Cherry




Crystal White*

*All Avantal doors are supplied with a crystal white internal finish across the door leaf frame and glazing cassette. Crystal White is available on the internal side only.

Colour	Door Leaf	Door Frame	Glazing Cassette
AnTeak			
Anthracite Grey			
Black Uti-Matt			
Signal Grey			
Rustic Cherry			

5 Unique Door Styles



Antares



Celeste



Rigel



Sirus



Vega

Each of the ultra-modern door designs are fully customised to suit your style, choose from a great range of glass, colour and hardware options.

Design your door online

Use our online door designer to design your Endurance door and request a free quote.



Scan QR code or visit:
eweplastics.co.uk/endurance-door-designer


Or pickup a brochure in branch





Composite Doors - Safeguard

Safeguard Doors - A solid and secure composite door.



What makes a Safeguard door?

1. Water resistant composites help to prevent bowed doors.
2. Engineered wood for improved stability
3. Decorative glass 24mm laminated glass units. Available in double and triple glazed.
4. Foam filled core for improved thermal efficiency.
5. Reinforced core. The reinforced central board ensures the door stays secure and solid.

With over 30 colours, a great selection of glazing designs, and a wide range of hardware options, providing you with an unparalleled level of customisation for doors. Whether you're seeking a classic, bold, or modern look.



Popular Door Designs

Traditional Range

A perfect blend of security, style, and durability. Elevate your home's aesthetic appeal while ensuring unparalleled protection with these doors that embody excellence



Balmoral



Conwy



Bowes



Leeds

Contemporary Range

Flush grain composite doors – the ideal fusion of style, security, and durability. Elevate any home's entrance with this exceptional range, seamlessly blending modern aesthetics and cutting-edge technology.



Peil



Somerton



Wark



Astley

Cottage Range

Precision-crafted to enhance your home's charm, these doors are true masterpieces. Built to last, they blend the natural beauty of wood with modern material strength



Elder



Cedar



Spruce



Holly

Contemporary City Range

Offering a modern city feel with high security and insulation. Choose from a diverse range of sleek and sophisticated designs to find the door that perfectly complements your home's aesthetic.



Milan



Nice



Balmoral



Helsinki

Check out the full range by picking up a brochure in branch

Explore the diverse range of door designs, along with a wide array of options for glass, colour, and hardware.





Aluminium Bifold Door

Stellar Slimline Bifold Door



The Stellar Slimline Bifold Door is a remarkable choice for those seeking both style and functionality. It serves as a striking connection between your indoor and outdoor spaces.

This door offers a sleek and contemporary design with innovative thermal technology, ensuring excellent insulation and compliance with 2022 Part L Building Regulations. It also boasts robust hardware, including a patent-pending slimline lock stile for easy adjustments and durability.

With quick fabrication, easy installation, and various customisation options, the Stellar Slimline Bifold Door is an ideal choice for any home.



Fast Installation



Low u-values





Choice of
Configuration



Superior security &
strength



Colour Range

 Signal White Flat/Matt RAL 9003	 Anthracite Grey Flat/Matt RAL 7016	 Anthracite Grey / Signal White Flat/Matt RAL 7016 / 9003	 Jet Black Flat/Matt RAL 9005	 Jet Black / Signal White Flat/Matt RAL 9005 / 9003
 Cream Flat/Matt RAL 9001	 Agate Grey Flat/Matt RAL 7038	 Chocolate Brown Flat/Matt RAL 8017	 Slate Grey Flat/Matt RAL 7015	



Dimensions & Configurations

Up to Seven Sashes
 Sashes - Max 1200mm (W)
 Max height 2500mm
 Maximum weight of 120kg
 Overall width max 5900mm
 Open in or open out options
 Choice of access door positions
 Wide choice of handle colours
 Glazing options 28mm or 36mm
 Wide choice of hardware
 Slimline 117mm meeting stile
 Low threshold options (not weather rated)



Performance

U-values as low as
 1.4 W/m²k (double glazed)
 1.0W/m²k (triple glazed)
 Parallel stainless steel tracks for ease of operation and stability.
 Quad stainless steel roller to spread the load.
 Weather performance to BS6375-1 and cycle testing to BS6375-2
 Robust corner cleat system for strong precise corners
 Fantastic thermal performance
 PAS24 accredited as standard



Guarantees

10-year mechanical performance manufacturer's guarantee
 10-year surface finish manufacturer's guarantee




Aesthetics


Marine Grade powder coat finish as standard

Configuration Examples:

Open Out: *No external handle.



Open In: *No external handle.





Aluminium Lift & Slide Door





The **Stellar Lift & Slide Door** is a multi-award-winning aluminium door that's meticulously crafted in Britain to ensure high quality and lasting durability. Its unique lifting mechanism allows even the heaviest sashes to glide effortlessly, ensuring smooth operation. The multi-functional handle and precision-engineered roller system work together to provide effortless one-handed operation and smooth, controlled opening and closing, even for large sashes

This innovative design minimises frame intrusion, maximising natural light and creating a stunning frame for expansive views.

The Stellar Lift & Slide Door is engineered for exceptional strength, accommodating sash widths up to 3 metres and utilising customisable interlock sizes. This allows for tailored sightlines and optimal panel dimensions to fulfil any architectural vision.



Multi-Award
Winning
Technology

 Cream Flat/Matt RAL 9001	 Anthracite Grey/Signal White Flat/Matt RAL 7016/9003	 Jet Black/Signal White Flat/Matt RAL 9005/9003
 Slate Grey Flat/Matt RAL 7015	 Signal White Flat/Matt RAL 9003	 Agate Grey Flat/Matt RAL 7038
 Jet Black Flat/Matt RAL 9005	 Anthracite Grey Flat/Matt RAL 7016	 Chocolate Brown Flat/Matt RAL 8017



Dimensions & Configurations

- Sash size – Max 3000mm (W) 2600mm (H)
- Max sash weight 300kg
- Overall width max 6500mm.
- 2, 3 or 4-pane layout
- Interlock options 96mm, 68mm or 50mm
- Glazing options 28mm, 36mm or 44mm
- Mechanically jointed outer frames and sashes



Performance

- U-values as low as 1.6 W/m² K double glazed 1.2 W/m² K triple glazed
- Multi-point locking
- PAS 24 security as standard
- Weather performance to BS6375
- Meets Building regulations without foams or poly-amides.
- Wind load resistance to 1200Pa
- Water tightness to 250Pa
- Air permeability to 600Pa



Guarantees

- 10-year mechanical performance manufacturer's guarantee
- 10-year mechanical performance manufacturer's guarantee on hardware



Aesthetics

- Marine Grade powder coat finish as standard

Configuration Examples:

2 Pane - Left Opening



2 Pane - Right Opening





4 Pane - Centre Opening



3 Pane - 2 Left Opening




3 Pane - Right & Left Opening





Sliding Patio Doors - Patiomaster

Patiomaster - An exceptional range of high-quality sliding doors



What makes a Patiomaster door?

1. Slim Stepped Frame: Easier installation, protects your decor.
2. Hardware Customisation: Various handle colours.
3. Range Finishes: Wide range of woodgrain, colour, and classic white options.
4. Low Internal Thresholds: Ideal for internal use.*
5. High-Performance Seals: Unobtrusive gaskets and seals for enhanced performance.
6. Glazing Options: Double Glazing (28mm) & Triple Glazing (36mm)
7. Multi-Chambered Sash: Provides strength and thermal efficiency.
8. Yale Six-Point Locking: Exceptional security system.
9. Concealed Fixings: No visible screw heads for a sleek appearance.
10. Midrail Option with Letterplate: Perfect for front entrances.

*Note: Low thresholds recommended for internal use only.

In-line Sliding Doors

Patiomaster offer adaptable design, seamlessly fitting into any property, with options ranging from 1.6 metres for 2-pane styles to a spacious 6-metres aperture for 4-pane models. Additional fixed panes can be added for extra light and match the appearance of larger bi-folding doors.

These streamlined doors are perfect for gardens, porches, or conservatories, opening without requiring extra floor space. For front entrances, a midrail option is available for a letterplate or house number.

Style	Max Width	Max Height	Min Width*	Min Height*
2 pane	3004mm	2360mm	1574mm	1900mm
3 pane (Centre Slider)	4509mm	2360mm	2364mm	1900mm
3 pane (End Slider)	4425mm	2360mm	2380mm	1900mm
4 pane	5928mm	2360mm	3068mm	1900mm

o

Triple Track Doors

Your bi-folding door alternative, experience the open-house atmosphere without the fuss of folding doors. Triple Track doors offer a practical, neater, and more streamlined solution, allowing for easy stacking instead. Even in smaller installations, you'll enjoy a wide, clear opening, and superb results for apertures up to 6 metres wide.





Designed to complement PVC-U windows and doors, ensuring each job has an immaculate finish.

Style	Max Width	Max Height	Min Width*	Min Height*
3 pane (3 Track End Slider)	3004mm	2360mm	1574mm	1900mm
6 pane (3 Track Centre Slider)	4509mm	2360mm	2364mm	1900mm

*Minimum width and height

The provided sizes are guideline dimensions and may vary based on building regulations and planning laws. For smaller size requirements, please discuss with us.

Colours - For full colour range please ask in branch for a brochure

 White	 White Woodgrain	 Cream	 Anthracite Grey	 Rosewood	 Black Brown	 Light Oak
 Anthracite Grey Smooth	 Chartwell Green	 Agate Grey	 Slate Grey	 Sage Smooth	 Pebble Grey	 Claystone



UPVC French Doors- Profile 22

Optima Sculptured French Doors



Profile 22's French Doors, part of the Optima 70mm sculptured system, exemplify excellence in design and functionality. They offer exceptional performance for a variety of applications. With a focus on versatility, the French Doors seamlessly integrate into residential, new build, refurbishment and commercial projects. They boast a 6-chambered outer frame, a 5-chambered sash profile, a range of glazing options and recycled composite inserts for enhanced thermal efficiency. The dedicated floating mullion ensures a clean, unobstructed view, allowing doors to open fully without the need for a central bar. They can also be configured to open inwards or outwards with low threshold options, Profile 22's French Doors guarantee a secure and energy-efficient solution.



Superb weather protection



Better insulated






Better drainage



Superior security & strength



Colours - For full colour range please ask in branch for a brochure

 White	 White Woodgrain	 Cream	 Anthracite Grey	 Rosewood	 Black Brown	 Light Oak
 Anthracite Grey Smooth	 Chartwell Green	 Agate Grey	 Slate Grey	 Sage Smooth	 Pebble Grey	 Claystone



Ancillaries

Fixings

Polytops	138
Cladding Pins	138
General Purpose Screws	139
Baypole Screws	140
Masonry Screws	140
Frame Fixings	140

Sealants & Adhesives

Sealants	141
Adhesives	142
Foams	143
Cleaners	143

Tools & Consumables

Measuring Tools	144
Saws & Blades	145
Drive / Drill Bits	147
Glazing Tools	148
Buckets & Dust Sheets	149
Lead	150

Please note that colours shown in this product guide are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.

Fixings - Polytops

Polytop Nails & Pins



	Code	White	Cream	Chartwell Green	Irish Oak	Light Brown	Dark Brown	Light Grey	Agate Grey	Anthracite Grey	Black
POLYTOPS® Nails 50mm (Box 100)	POLYNAIL	WH50	-	-	-	5BR50	4BR50	-	AGATE50	G50	BL50
POLYTOPS® Nails 65mm (Box 100)	POLYNAIL	WH65	CR65	CG65	IO65	5BR65	4BR65	E65	AGATE65	G65	BL65
POLYTOPS® Pins 30mm (Box 250)	POLYPIN	WH30	-	-	-	5BR30	4BR30	-	AGATE30	G30	BL30
POLYTOPS® Pins 40mm (Box 250)	POLYPIN	WH40	CR40	CG40	IO40	5BR40	4BR40	E40	AGATE40	G40	BL40

Cladding Pins



	Box Qty	Code
Cladding Pins	250	CLADDINGPIN

Plugs



	Box Qty	Code	Red	Brown
Plugs	100	PLUG	RED	BROWN

Screw Caps



	Box Qty	Code	White	Brown	Anthracite Grey	Black
Screw Caps & Collars	200	CAPS	-WHITE	-BROWN	-AG	-BK

General Purpose Screws / Wood Screws



	Box Qty	Code	15mm	20mm	25mm	30mm	35mm	40mm	50mm	60mm	70mm	80mm	90mm	100mm
Screws 3mm	200	SCREW3X	15	20	-	30	-	-	-	-	-	-	-	-
Screws 3.5mm	200	SCREW3.5X	-	-	25	30	35	-	-	-	-	-	-	-
Screws 4mm	200	SCREW4X	-	20	25	30	-	40	50	60	70	-	-	-
Screws 4mm	100	SCREW4X	-	-	-	-	-	-	-	60	70	-	-	-
Screws 5mm	200	SCREW5X	-	-	25(200)	30(200)	-	40	50(200)	-	-	-	-	-
Screws 5mm	100	SCREW5X	-	-	-	-	-	-	-	60(100)	70(100)	80	90	100
Screws 6mm	100	SCREW6X	-	-	-	-	-	40(100)	-	60	-	-	-	100

Stainless Steel General Purpose Screws / Wood Screws



	Box Qty	Code	20mm	30mm	40mm	60mm	70mm	100mm
Stainless Steel Screw 3.5mm	200	SCREW3.5X	20SS	-	-	-	-	-
Stainless Steel Screw 4mm	200	SCREW4X	-	30SS(200)	40SS(200)	-	-	-
Stainless Steel Screw 4mm	100	SCREW4X	-	-	-	-	70SS	-
Stainless Steel Screw 5mm	200	SCREW5X	-	30SS(200)	40SS	-	-	-
Stainless Steel Screw 5mm	100	SCREW5X	-	-	-	60SS	-	100SS

Baypole Screws



	Box Qty	Code	50mm	60mm	70mm	80mm	100mm
Baypole Screws 4.8mm	100	SCREWBAY	50	60	70	80	100

Masonry Screws



	Box Qty	Code	42mm	62mm	80mm	82mm	92mm	100mm	112mm	120mm	132mm	152mm	182mm
Masonry Screws 7.5mm	100	MASONRYSCR	42	62	80	82	92	100	112	120	132(100)	152(100)	182

Masonry Nails



	Box Qty	Code	40mm	50mm	60mm	70mm	80mm
Masonry Nails 3mm	100	MASONRYNAIL	3X40	3X50	60X3	3X70	3X80

Frame Fixings



	Box Qty	Code	60mm	80mm	100mm	120mm	135mm	140mm	200mm
Frame Fixings 8mm	100	FRAMEFIX8X	60MM	80MM	100MM	120MM	135MM	140MM	-
Frame Fixings 10mm	100	FRAMEFIX10X	-	80MM	100MM(100)	120MM	-	-	200MM

Low Modulus Neutral Silicone



Code										
	Translucent	White	Cream	Chartwell Green	Irish Oak	Rosewood	Brown	Anthracite Grey	Black	
Penosil Neutral Silicone 317 - 300ml	SILICONE-OLIVE-TR	WH	CREAM	CG	IO	RW	BR	AG	BK	

Neutral 312 Silicone



SILICONE-OLIVE-AGATE

Penosil Neutral Silicone 312 - 300ml

Bond It WP70 Silicone



SILICONE-WP70-LG

WP70 Low Modulus Neutral Cure LMN Oxime Silicone - 285ml

Sealant For Self Cleaning Glass



SILICONE-GLASSACTIVE-BK

SMX 506 Sealant For Self Cleaning Glass - 290ml - Black

Lead Flashing



LEADSEAL

Penosil Lead Flashing 385 - 300ml

Penosil Painters Acrylic 606



ACRYLIC

Penosil Painters Acrylic 606 - 300ml

Sanitary Silicone



Code		
	Translucent	White
Penosil Sanitary Silicone 313 - 300ml	SANITARY	WH

Roof & Gutter Sealant



SILICONE-ALLWEATHER-TR

Penosil Roof & Gutter Sealant 919 - 300ml

Cox Silicone Gun



GUN-SILICONE380

Cox Silicone Gun up to 310ml

PENOSIL Silicone Gun



GUN-SILICONE-PENOSIL-HD

PENOSIL Cartridge Gun up to 310ml



Sealants & Adhesives

Stixall



Code		
	Translucent	White

Stixall - 310ml	STIXALL	CLEAR	WHITE
-----------------	---------	-------	-------

Speedfix Seal & Bond



Code		
	White	Black

Penosil Speedfix Seal & Bond 750 - 290ml	OLIBOND-	WH	BK
--	----------	----	----

Penosil Speedfix Seal & Bond 751



OLIBOND-TR
Penosil Speedfix Seal & Bond 751 Crystal Clear

Speedfix Construction 878



MEGASTICK
Speedfix Construction 878

Stelmax 1965 Filler



STELMAX-135-WH
Stelmax 1965 Filler - White Other colours Available

Mitre Kit 50g/200ml



MITREKIT-THICK
Mitre Kit 50g Superglue & 200ml Activator

Superglue Activator



ACTIVATOR
Superglue Activator

Superglue



			
	Code	20g	50g
Superglue	GLUESUPER	20G	50G



Foam Gun



GUN-FOAM-OLIVE-S1

Foam Gun S1

Foam Cleaner



FOAM-CLEANSOLVENT

Penosil Foam Cleaner 929 - 500ml

Window & Door Gunfoam



FOAM-GUN-CAN-OLIVE50

Penosil Window & Door Gunfoam 173 - 750ml

Universal Handfoam



FOAM-HAND

Penosil Universal handfoam 265. - 750ml

Paper Glass Wipe Rolls



PAPERGLASSWIPE

Paper Glass Wipe Rolls - 150m

MultiPurpose Wipes



WIPES-MULTI

Penosil MultiPurpose Wipes 943 - 100

Glass Cleaner



GLASSCLEAN

Penosil Glass Cleaner 1ltr

Glass and Mirror Foam Cleaner



GLASSCLEAN-AEROSOL

Soudal Glass and Mirror Foam Cleaner - 750ml

PVC Spray Cleaner



SOLVENTCLEAN-AEROSOL

Soudal PVC Spray Cleaner - 750ml

PVCU Solvent Cleaner



SOLVENTCLEAN

Penosil PVCU Solvent Cleaner - 1ltr
(Not suitable for foils)

UPVC Cream Cleaner



UPVCCREAM

Penosil UPVC Cream Cleaner - 1ltr

Foil Safe Solvent PVC Cleaner



SOLVENTCLEAN-FOILSAFE

Foil Safe Solvent PVC Cleaner - 1ltr

Tools & Consumables

Tape Measure 5m



TAPE-MEASURE-5M-STANLEY

Stanley Tape Measure 5m

Tape Measure 8m



TAPE-MEASURE-8M-STANLEY

Stanley Tape Measure 8m

Stabila Spirit Level



Length	900mm	1200mm	1800mm
Code: SPIRITLEVEL-	900MM	1.2M	1.8MT

Square 300mm 12"



SQUARE/300

Faithfull Combination Square
300mm (12in)

Sliding Bevel



BEVEL

Faithfull Sliding Bevel 270mm
10. 1/2 in

Angle Finder



ANGLEFINDER-DIGITAL

Xpert Digital Angle Finder

Measuring Gauge



GLASS-GAUGE

Xpert Glass Measuring Gauge

Carpenters Pencil



PENCIL-REXEL

Rexel Red Carpenters Pencil
(Single) (TB)

Chalk Line



CHALKLINE

Chalk Line

Chalk Refill



CHALKLINE-REFILL

Stanley Red Chalk Refill

Chisel Set 4pcs



CHISELSET4

Wood Chisel Set, 4 Piece
Sizes: 6, 12, 19 and 25mm

Shaver



SHAVER

Stanley Moulded Body Surform
Shaver Tool

Plane



PLANE

Stanley Moulded Body Surform
Block Plane

Pliers



PLIERS

Pliers Diagonal 6"

Locking Pliers



PLIERS-LOCKING

Locking Pliers 250mm

Straight Cut 250mm (10in)



SNIPS-STANLEY

Stanley Aviation Snips Straight Cut 250mm (10in)

Gasket Snips



SNIPS-GASKET

Gasket Snips 140mm

Gasket Shears Blade



GASKETSHEARS-STANLEY

Gasket Shears- Removable Stanley Blade

Gasket Shears



GASKETSHEARS

Gasket Shears Solid

Multipurpose Knife



KNIFE-MULTI

Xpert 10 in 1 Multipurpose Knife

Chisel Knife



KNIFE-CHISEL

Xpert Chisel Knife 32mm

Moon Knife



KNIFE-MOON-FAITHFULL

Faithfull Moon Knife Quarter Moon

Knife Utility



KNIFE

Knife Utility Folding

Retractable Knife



KNIFE-IRWIN

Irwin Pro Touch Retractable Blade Knife

Retractable Knife



KNIFE-STANLEY

Stanley Original Retractable Knife

Knife Blades



BLADESSK5

Qty	10	100
Code	10	100

Saw 350mm 14"



SAW14BAHCO30014

Bahco Fine Tooth Saw 350mm 14"

Saw 550mm 20"



SAW20JACK880

Irwin Jack 880 Saw 550mm 20"

Handsaw 550mm 22"



SAW22BAHCO

Bahco 244-22-U7/8-HP Handsaw 550mm 22"



Tools & Consumables

Mini Hacksaw



HACKSAW-MINI

Stanley Mini Hacksaw 300mm 12"

Hacksaw



HACKSAW

Bahco Hacksaw 300mm 12"

Hacksaw Blade



BLADE-HACKSAW

Bahco Hacksaw Blade 12"

Coping Saw



SAWCOPING

Faithfull Coping Saw 165mm (6.1/2in) 14 TPI


Coping Saw Blade



BLADE-COPINGSAW

Coping Saw Blade

Sabre Blade Wood



BLADE-RECIP-WOOD-150

Sabre Saw Blade Wood Cutting 150mm 6 TPI
Qty: 5

Sabre Blade Metal



BLADE-RECIP-METAL-150

Sabre Saw Blade Metal Cutting 150mm 18 TPI
Qty: 5

Jigsaw Blade Metal



BLADE-JIGSAW-METAL

Metal Cut Jigsaw Blade 50mm
Qty: 5

Jigsaw Blade Glass



BLADE-JIGSAW-GLASS

Specialist Glass/Ceramic Jigsaw Blade
Qty: 3

Jigsaw Blades Wood



BLADE-JIGSAW-WOOD

Jigsaw Blades for Wood
Qty: 5

Vent Hole Saw



VENTHOLESAW-ONEPIECE

Vent Hole Saw 70mm & Arbour One Piece

A/F Hex Key Set, 9 Piece



HEXKEYSET-AF

A/F Hex Key Set Long Arm
Imperial Sizes:
5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8in AF

Metric Hex Key Set, 9 Piece



HEXKEYSET-METRIC

Metric Hex Key Set Long Arm
Metric Sizes:
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

Ratchet Screwdriver



SCREWDRIVER-RATCHET-BAHCO

Bahco Ratchet Screwdriver

Stanley 6pc Screwdriver Set



SCREWDRIVERSET-STANLEY-6

Stanley 6pc Screwdriver Set
3 x Phillips: PH0 x 50mm
PH1 x 75mm
PH2 x 100mm

Screwdriver Bit Set, 32 Piece



DRIVEBIT-SET

7 x 25mm Pozi Bits: PZ0, PZ1, PZ2 (x4), PZ3
4 x 25mm Phillips Bits: PH0, PH1, PH2, PH3
5 x 25mm Slotted Bits: 3, 4, 5, 6, 7mm
7 x 25mm Hex Bits: 2, 3, 4, 5, 6, 7, 8mm
7 x 25mm TORX (Star) Security Bits: TTX10, TTX15, TTX20, TTX25, TTX27, TTX30, TTX40
1 x 1/4in Hex to 1/4in Square Drive Adaptor
1 x 1/4in Quick-Release Magnetic Ejector Bit Holder

Drive Bit Holder



DRIVEBITHOLDER

Magnetic Drive Bit Holder
1/4in 60mm Standard

Drive Bit Hex Bit



DRIVEBITT30HEX

Drive Bit Hex Bit T30

Screwdriver Bits



DRIVEBIT-PH2-10

Screwdriver Bits PH2

Driver Bit



DRIVERBITPZ2

Driver Bit PZ2

Drillbits



	Code	110mm	160mm	210mm	260mm	410mm	460mm
Drill Bit 5mm	DRILLBIT5	-	160				
Drill Bit 5.5mm	DRILLBIT5.5X	110	-	-	-	-	-
Drill Bit 6mm	DRILLBIT6X	-	-	210	260	-	-
Drill Bit 6.3mm	DRILLBIT6.3X	-	-	-	-	410	-
Drill Bit 6.5mm	DRILLBIT6.5X	110	160	210	260	-	-
Drill Bit 7mm	DRILLBIT7X	-	160	210	260	-	-
Drill Bit 8mm	DRILLBIT8X	-	-	210	260	-	460

Drillbit Steel



	Code	3.0 x 100mm	4.0 x 119mm	4.5 x 126mm	6.0 x 139mm	8.0 x 165mm
Drill Bit Steel	DRILLSTEEL	3	4	4.5	6	8



Tools & Consumables

Touch Up Pens



UPVC touch up pen is a highly pigmented pen which is ideal for scratch repair or touching up edges and mitre joints, particularly on PVCu.

Code	White	Cream	Chartwell Green	Golden Oak	Rosewood	Mahogany	Anthracite Grey	Black
PENRETOUCH	WH	CR	CG	GO	RW	WG	AG	BK

ColorSpray OmniCoat S Spray - 400ml



The OmniCoat S aerosol is a durable, fast-drying and ultra-smooth coating that's designed to flawlessly cover GRP Composite doors, Foiled & smooth PVC, powder-coated aluminium and most building plastics.

Code	Cream	Chartwell Green	Agate Grey	Slate Grey	Anthracite Grey	Black
SPRAYTOUCHUP-RF-	CR	CG	AGATE	SG	AG	BK

Need a different colour?

We can provide a match to all leading door / window suppliers.



Packers - Box (1000)



	Code	1mm	2mm	3mm	4mm	5mm	6mm
28mm	PACKERS-28-	1MM	2MM	3MM	4MM	5MM	6MM
32mm	PACKERS-32-	1MM	2MM	3MM	4MM	5MM	6MM

Mixed Packers



PACKERSMIXED

28mm Packers Mixed

Glazing Shovel



GLAZINGSHOVEL

Glazing Shovel

Glass Scraper



GLASSSCRAPER

Glass Scraper

Glass Scraper 4 Pcs Combi Pack



GLASSSCRAPER-SET

1 x Heavy-Duty Long Handled Scraper
One pack of 5 blades
1 x Razor Blade Scraper
One dispenser pack of 10 blades included

Xpert Glass Suction Cups



GLASSSUCTION

Single	CUP-SINGLE
Double	CUP
Triple	TRIPLE

Double Sided Tape



	Code	1mm x 50m	2mm x 40m	3mm x 25m	5mm x 15m
White (10mm)	TAPE-	1MM	2MM	3MM	5MM
Black (10mm)	TAPE-	1MM-BK	2MM-BK	3MM-BK	5MM-BK

Mixing Bucket



BUCKET

Mixing Bucket12ltr

Rhino Tub



RHINOTUB

28 Litres

28LT

42 Litres

42LT

60 Litres

60LT

Rubble Sacks



RUBBLESACKS

Rubble Sacks 530 x 810mm
H/Duty Blue

Cotton Dust Sheets



DUSTSHEET

Cotton Dust Sheets 12 x 9

Polythene Dustsheet



DUSTSHEETPOLYTHENE

Polythene Dustsheet
3m x 4m 55MIC

Stairway Dustsheet



DUSTSHEET-STAIR

Stairway Cotton Dustsheet
24' x 3'

Carpet Defender



FLOOR-CARPET

Carpet Surface Defender
25m x 600mm

Hard Surface Defender



FLOOR-HARD


Hard Surface Defender
25m x 600mm

Code 3 Lead



	Code	150mm	180mm	210mm	240mm	300mm	360mm	390mm
3m	LEAD-3-3	150	180	-	240	300	360	390
6m	LEAD-3-6	150	180	210	240	300	360	390

Code 4 Lead



	Code	150mm	180mm	210mm	240mm	300mm	360mm	390mm	450mm	600mm	750mm
3m	LEAD-4-3	150	180	210	240	300	360	390	450	600	750
6m	LEAD-4-6	150	180	210	240	300	360	390	450	600	750

Can't see the lead you need?

We can provide lead from Code 1 (0.45mm) – Code 8 (3.55mm)

Please ask in branch if you would like to discuss a project or require another size.



Easy Lead



Code	150mm	300mm	450mm	600mm
EASYLEAD-	150	300	450	600

Lead Flashing Clip



LEAD-FIXINGCLIP

Lead Flashing Clip (50)

Patination Oil



PATINATIONOIL-0.5LTR

Patination Oil 500ml

Setting In Stick



LEADSTICK

Monument 749 Beechwood
Setting In Stick (TB)

Home Of Brands You Can Trust

Open a Trade Account and Experience the EWE Advantage!

Elevate your projects by unlocking exclusive benefits when you open a trade account with the leading stockist of uPVC Building Plastics in the North West & Wales. With the option of both cash and credit accounts, you are bound to find the perfect account tailored to your needs.



Trade Credit Account

- Access to trade only prices
- FREE direct to site delivery*
- 30 days interest free credit
- VAT invoices sent directly to you
- Monthly Statements



Cash Trade Account

- Access to trade only prices
- FREE direct to site delivery*
- Pay as you go
- VAT invoices sent directly to you
- Monthly Statements



Get a EWE Plastics 5m tape measure for free when you spend £100 + VAT on your new account! (Terms & conditions apply)

Apply today to start saving

Download our application form at eweplastics.co.uk/credit-account

*Free delivery when you spend £150 or more.

Scan for our account form





Caernarfon Branch

Zone 2 Cibyn Industrial Estate,
Caernarfon
Gwynedd
LL55 2BD

✉ caernarfon@eweplastics.co.uk
☎ 01286 674 882

Mold Branch

Unit 7 Broncoed Business Park,
Mold
Flintshire
CH7 1HP

✉ mold@eweplastics.co.uk
☎ 01352 752 006

Crewe Branch

Unit 11 Crewe Gates Industrial
Estate,
Crewe
Cheshire
CW1 6YY

✉ crewe@eweplastics.co.uk
☎ 01270 251 044

Cheadle Hulme Branch

Unit D10 Commercial Avenue,
Stanley Green Industrial Estate
Cheadle Hulme
Cheshire
SK8 6QH

✉ cheadle@eweplastics.co.uk
☎ 0161 485 8901